

PRODUCT GUIDE

Nº. 63





# THERMAL SYSTEMS

Konus has completely redesigned and re-engineered its acclaimed line of thermal equipment, thus making it more impressive than ever in terms of appearance and performance. Three new monoculars have been introduced as ideal options for every hunting and tactical scenario, including the highly professional # 7955 FLAME model with its superb 640x512 resolution to go along with an amazing 1.4x-11.2x zoom power.



# FLAME-R



THERMAL MODULE		SMART FUNCTION	
IMAGE SENSOR	Vanadium Oxide Uncooled Focal Plane Arrays	HIGHEST TEMPERATURE SPOT TRACKING	YES
MAX RESOLUTION	256x192 pixels	WI-FI HOT SPOT	YES
RESPONSE WAVEBAND	8µm to 12µm	STAND-BY MODE	YES
NETD	less than 35mk (@25°C), F#=1.0	SYSTEM	
LENS (FOCAL LENGTH)	19mm	STORAGE	Built-in Memory Module (16GB)
FIELD OF VIEW	9.24°x6.94° (HxV)	RECORD VIDEO	YES
DIGITAL ZOOM	1x - 2x - 4x - 8x	CAPTURE SNAPSHOT	YES
APERTURE	F1.0	POWER SUPPLY	
MAGNIFICATION	2.47x	BATTERY TYPE	Two CR123A (3V) Lithium - or two RCR123 (up to 4.2V) Rechargeable Batteries
IMAGE DISPLAY		BATTERY OPERATING TIME	Up to five hours continuously running (With Wi-Fi hot spot function off)
MONITOR	0.39 inch - OLED - 1024x768	BATTERY CAPACITY DISPLAY	YES
FFC (FLAT FIELD CORRECTION)	AUTO, MANUAL, EXTERNAL CORRECTION	GENERAL	
PALETTES	BLACK HOT, WHITE HOT, RED HOT, FUSION	POWER	5V DC/2A, 2W
FRAME FREQUENCY	50Hz	WORKING TEMPERATURE	FROM -20°C to 55°C (-4°F to 131°F)
		PROTECTION LEVEL	SUMERSIBLE WATERPROOF RATING IP-67
		DIMENSIONS	187.2mmx62.5mmx59.2mm (7.4"x2.5"x2.3")
		WEIGHT	430g (15.16oz)

## FEATURES

- ALSO WORKS AS HAND-HELD THERMAL MONOCULAR
- FEATURES 5 SELECTABLE RETICLE TYPES
- WATERPROOF UP TO 3.3FT DEPTH
- ZOOM MAGNIFICATION 2.5X-20X
- 256X192 RESOLUTION
- 4 DIFFERENT PALETTES
- WORKS WITH TWO CR123 LITHIUM BATTERIES 3V (INCLUDED)
- WI-FI HOT SPOT
- VIDEO RECORDING FUNCTION
- INCLUDES A MOUNTING SYSTEM FOR PICATINNY RAILS

DETECTION RANGE (STANDARD CAR SIZE)	2428 M 7.965,8 FT
DETECTION RANGE (AVERAGE HUMAN SIZE)	792 M 2.598 FT
RECOGNITION RANGE (STANDARD CAR SIZE)	607 M 1.991 FT
RECOGNITION RANGE (AVERAGE HUMAN SIZE)	198 M 649 FT
IDENTIFICATION RANGE (STANDARD CAR SIZE)	303 M 904 FT
IDENTIFICATION RANGE (AVERAGE HUMAN SIZE)	99 M 325 FT
WEIGHT GR/OZ	430G 15.16OZ
LENGTH	187.2MM 7.3"

## THE THERMAL DOMINATION

Power and technology come together to provide you with a supremely versatile unit that can be used as thermal riflescope or hand-held monocular for countless hunting, tactical or surveillance purposes. Fully waterproof, our # 7952 model features a huge 2.5x-20x zoom magnification range to go along with 5 selectable digital reticles in 3 colors and with a special mount for Picatinny rails. Its thermal vision is available in 4 different palettes with 256x192 resolution and you can also take pictures or record videos of what you observe.





# FLAME 1.4X-11.2X



#7955 1.4x-11.2x ZOOM

## 4 SELECTABLE PALETTES



THERMAL MODULE		SMART FUNCTION	
IMAGE SENSOR	VOx Uncooled Focal Plane Arrays	HIGHEST TEMPERATURE SPOT TRACKING	YES
MAX RESOLUTION	640x512	WI-FI HOT SPOT	YES
PIXEL INTERVAL	17 MM	STAND-BY MODE	YES
RESPONSE WAVEBAND	8 MM TO 14 MM	SYSTEM	
NETD	Less than 35 mK (@25°C), F#=1.1	STORAGE	BUILT-IN MEMORY 16GB
LENS (FOCAL LENGTH)	35 MM	RECORD VIDEO	YES
FIELD OF VIEW	17.7° × 14.2° (H × V)	CAPTURE SNAPSHOT	YES
DIGITAL ZOOM	1x, 2x, 4 × 8x	POWER SUPPLY	
APERTURE	F1.0	BATTERY TYPE	Rechargeable Lithium Battery
MAGNIFICATION	FROM 1.4X TO 11.2X	BATTERY OPERATING TIME	5.5Hrs. continuously running with CVBS and WI-FI hot spot off (@25°C)
IMAGE DISPLAY		BATTERY CAPACITY DISPLAY	YES
MONITOR	0.39 inch, OLED, 1024 × 768	GENERAL	
FFC (FLAT FIELD CORRECTION)	Auto, Manual, EXTERNAL CORRECTION	POWER	5 VDC/2 A, 2 W, Type-C Interface
PALETTES	BLACK HOT, WHITE HOT, RED HOT, FUSION	WORKING TEMPERATURE	From -30°C to 55°C (-22°F to 131°F); Humidity: 90% or Less
FRAME FREQUENCY	50Hz	PROTECTION LEVEL	SUMERSIBLE WATERPROOF RATING IP-67
		DIMENSIONS	201.6 MM × 73.7 MM × 66 MM (7.94" × 2.90" × 2.60")
		WEIGHT	500 g (0.55 lb)

## FEATURES

- › WATERPROOF UP TO 3.3FT DEPTH
- › HANDHELD THERMAL MONOCULAR
- › 640X512 RESOLUTION, HIGH SENSITIVITY DETECTOR
- › BUILT-IN RECHARGEABLE LITHIUM BATTERY
- › WI-FI HOT SPOT
- › ZOOM MAGNIFICATION FROM 1.4X TO 11.2X
- › 16GB INTERNAL MEMORY
- › PHOTO AND VIDEO RECORDING FUNCTION

DETECTION RANGE (STANDARD CAR SIZE)	3157M 3452.5YDS
DETECTION RANGE (AVERAGE HUMAN SIZE)	1029M 1125.3YDS
RECOGNITION RANGE (STANDARD CAR SIZE)	789M 862.8YDS
RECOGNITION RANGE (AVERAGE HUMAN SIZE)	257M 281.05YDS
IDENTIFICATION RANGE (STANDARD CAR SIZE)	395M 431.9YDS
IDENTIFICATION RANGE (AVERAGE HUMAN SIZE)	129M 141YDS
WEIGHT GR/OZ	500GR 0.55LB
LENGTH	201.6MM 7.94"

## THE THERMAL SUPREMACY

Powered by the most advanced image processing technology and by some of the finest electro-optical sensors, this model is a true quantum-leap in terms of magnification (1.4x-11.2x) and resolution (640x512). It is therefore a must for every professional user that is in need of identifying with supreme accuracy what he is searching for. It also comes with plenty of remarkable features, including a photo/video recording function and a generous 16MB internal memory.

# FLAME 1.5X-3X



#7954 1.5x-3x ZOOM

## 4 SELECTABLE PALETTES



THERMAL MODULE		SMART FUNCTION	
IMAGE SENSOR	Vanadium Oxide Uncooled Focal Plane Arrays	HIGHEST TEMPERATURE SPOT TRACKING	YES
MAX RESOLUTION	384x288	WI-FI HOT SPOT	YES
PIXEL INTERVAL	8µm to 14µm	STAND-BY MODE	YES
RESPONSE WAVEBAND	8 µm to 14 µm	SYSTEM	
NETD	LESS THAN 35mk (@25°C), F#=1.0	STORAGE	BUILT-IN MEMORY 8GB
LENS (FOCAL LENGTH)	15mm	RECORD VIDEO	YES
FIELD OF VIEW	24.55°x18.9° (HxV)	CAPTURE SNAPSHOT	YES
DIGITAL ZOOM	FROM 1.4X to 3X	POWER SUPPLY	
APERTURE	F1.0	BATTERY TYPE	Built-in 18650 Lithium Battery
MAGNIFICATION	FROM 1.4x to 3x	BATTERY OPERATING TIME	7.5 Hrs. continuously running with CVBS and WI-FI hot spot off (@25°C)
IMAGE DISPLAY		BATTERY CAPACITY DISPLAY	YES
MONITOR	0.39 inches, OLED, 1024x768	GENERAL	
FFC (FLAT FIELD CORRECTION)	Auto, Manual, EXTERNAL CORRECTION	POWER	5VDC/2 A, 1.5W, Type-C Interface
PALETTES	BLACK HOT, WHITE HOT, RED HOT, FUSION	WORKING TEMPERATURE	FROM -20°C to 55°C (-4°F to 131°F)
FRAME FREQUENCY	50Hz	PROTECTION LEVEL	SUMERSIBLE WATERPROOF RATING IP-67
		DIMENSIONS	158.3mm x 61mm x 57mm (6.23" x 2.40" x 2.24")
		WEIGHT	250g (0.55 lb)

## FEATURES

- › HANDHELD THERMAL MONOCULAR CAMERA
- › 384X288 PIXELS RESOLUTION, HIGH SENSITIVITY DETECTOR
- › BUILT-IN RECHARGEABLE LITHIUM BATTERY
- › WI-FI HOT SPOT
- › ZOOM MAGNIFICATION FROM 1.5X TO 3X
- › 8GB INTERNAL MEMORY
- › WATERPROOF UP TO 3.3FT DEPTH
- › PHOTO AND VIDEO RECORDING FUNCTION

DETECTION RANGE (STANDARD CAR SIZE)	1353M 1479.6YDS
DETECTION RANGE (AVERAGE HUMAN SIZE)	400M 437.44YDS
RECOGNITION RANGE (STANDARD CAR SIZE)	338M 369.9YDS
RECOGNITION RANGE (AVERAGE HUMAN SIZE)	110M 120.2YDS
IDENTIFICATION RANGE (STANDARD CAR SIZE)	169M 184.8YDS
IDENTIFICATION RANGE (AVERAGE HUMAN SIZE)	55M 60.1YDS
WEIGHT GR/OZ	250GR 8.81OZ
LENGTH	158.3MM 6.23"

## THE THERMAL SUPERIORITY

An ideal choice for professional users, our #7954 model is engineered to maximize any on-field visual experience with a truly remarkable 384x288 resolution that goes way beyond the standards of the market. it also features a very powerful 1.5x-3x zoom system and a generous 8GB internal memory that will accomodate all of your needs while taking pictures and recording videos.




# FLAME 0.6X-2.4X



#7953 0.6x-2.4x ZOOM

## 4 SELECTABLE PALETTES



THERMAL MODULE		SMART FUNCTION	
IMAGE SENSOR	Vanadium Oxide Uncooled Focal Plane Arrays	HIGHEST TEMPERATURE SPOT TRACKING	YES
MAX RESOLUTION	160x120	WI-FI HOT SPOT	YES
PIXEL INTERVAL	17µm	STAND-BY MODE	YES
RESPONSE WAVEBAND	8 µm to 14 µm	SYSTEM	
NETD	LESS THAN 35mk (@25°C), F#=1.0	STORAGE	BUILT-IN MEMORY 8GB
LENS (FOCAL LENGTH)	6.2mm	RECORD VIDEO	YES
FIELD OF VIEW	14.7°x18.7° (HxV)	CAPTURE SNAPSHOT	YES
DIGITAL ZOOM	FROM 0.6X to 2.4X	POWER SUPPLY	
APERTURE	F1.1	BATTERY TYPE	Built-in 18650 Lithium Battery
MAGNIFICATION	FROM 0.6X to 2.4X	BATTERY OPERATING TIME	10 Hrs. continuously running with CVBS and WI-FI hot spot off (@25°C)
IMAGE DISPLAY		BATTERY CAPACITY DISPLAY	YES
MONITOR	0.2 inches, LCOS, 720x540	GENERAL	
FFC (FLAT FIELD CORRECTION)	Auto, Manual, EXTERNAL CORRECTION	POWER	5VDC/2 A, 1.5W, Type-C Interface
PALETTES	BLACK HOT, WHITE HOT, RED HOT, FUSION	WORKING TEMPERATURE	FROM -20°C to 55°C (-4°F to 131°F)
FRAME FREQUENCY	50Hz	PROTECTION LEVEL	SUMERSIBLE WATERPROOF RATING IP-67
		DIMENSIONS	158.3mm x 61mm x 57mm (6.23" x 2.40" x 2.24")
		WEIGHT	250g (0.55 lb)

## FEATURES

- › HANDHELD THERMAL MONOCULAR CAMERA
- › 160X120 PIXELS RESOLUTION, HIGH SENSITIVITY DETECTOR
- › BUILT-IN RECHARGEABLE LITHIUM BATTERY
- › WI-FI HOT SPOT
- › ZOOM MAGNIFICATION FROM 0.6X TO 2.4X
- › 8GB INTERNAL MEMORY
- › WATERPROOF UP TO 3.3FT DEPTH
- › PHOTO AND VIDEO RECORDING FUNCTION

DETECTION RANGE (STANDARD CAR SIZE)	559M 1833.9FT
DETECTION RANGE (AVERAGE HUMAN SIZE)	200M 656.1FT
RECOGNITION RANGE (STANDARD CAR SIZE)	140M 459.3FT
RECOGNITION RANGE (AVERAGE HUMAN SIZE)	46M 150.9FT
IDENTIFICATION RANGE (STANDARD CAR SIZE)	70M 229.6FT
IDENTIFICATION RANGE (AVERAGE HUMAN SIZE)	23M 75.4FT
WEIGHT GR/OZ	250GR 8.81OZ
LENGTH	158.3MM 6.23"

## THE THERMAL EXCELLENCE

While being very competitively priced, our #7953 model is among the most versatile of the market. It lets you choose between 4 different palettes, it comes with a photo/video recording function and it is also able to transfer the thermal images via Wi-Fi, so that you can see them live on your cellphone if you want. And, having a 0.6x-2.4x zoom system and a bigger display with enhanced field of view, this unit dramatically outperforms the competition from an optical standpoint as well



*"This scope has some of the clearest glass I've ever looked through. Konus has always been able to pull off some sort of voodoo whereby it brings a remarkable product to the table without a heavy price point."*

Frank Melloni, Gun Digest magazine



# RIFLESCOPES

Having been a true leader of the optical industry for 44 years and counting, Konus is now releasing some of its most unique and most exciting riflescopes ever. For example the # 7178 Absolute, a 5-40x56 model for long distance shooting that takes full advantage of the incomparable clarity and brightness of the finest ED glass. Or the brand new Armada series (# 7165 4-16x50 and # 7166 6-24x56) which brings to the table a revolutionary and patented parallax system with unprecedented and flawless accuracy.






SECOND FOCAL  
PLANE



IDEAL FOR  
LONG DISTANCE  
SHOOTING



30MM TUBE  
DIAMETER



**#7178 5x-40x56 ZOOM**  
EXTRA THIN 550 BALLISTIC RETICLE  
WITH DUAL ILLUMINATION  
(RED - BLUE)

## FEATURES

- › ED GLASS
- › 30MM TUBE
- › CONSTANT LONG EYE RELIEF AT ALL MAGNIFICATION
- › COMPACT DESIGN WITH WIDE FIELD OF VIEW
- › SIDE PARALLAX WHEEL
- › EXCEPTIONAL OPTICAL PERFORMANCE WITH DISTORTION-FREE RESOLUTION
- › ULTRA WIDE BAND FULLY MULTI-COATING FOR HIGH TRANSMISSION AND INCREDIBLE CLARITY
- › HYDROPHOBIC LENS COATING SUITABLE FOR RAINY DAYS
- › HIGH PRECISION LOCKING TACTICAL TURRETS
- › SUNSHADE INCLUDED
- › ENGRAVED AND EXTRA THIN RETICLE

CODE	7178
MAGNIFICATION X OBJECTIVE DIAMETER	5-40X56 ZOOM
RETICLE	EXTRA THIN 550 BALLISTIC RETICLE
FIELD OF VIEW (AT 100M/YDS)	7.3M - 24 FT AT 5X 0.9M - 3FT AT 40X
WEIGHT (GR/OZ)	800GR - 28.2OZ
LENGTH (MM/INCHES)	401.5MM - 15.8"
EYE RELIEF (MM/INCHES)	91MM-3.5" AT 5X • 92MM-3.6" AT 40X
EXIT PUPIL (MM)	8 AT 5X 1.4 AT 40X
CLICK VALUE (AT 100M/YDS)	1/8 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	20 M.O.A.
MOUNTING LENGTH (MM/INCHES)	182.8MM 7.19"

## THE ED GLASS ADVANTAGE


Engineered to maximize light transmission and reduce chromatic aberration, this riflescope will provide competitive shooters with what they need most: an enormous magnification range that goes from 5x to 40x, coupled with the breath-taking sharpness and contrast of the finest ED glass. The result is a dream come true in terms of unparalleled versatility and flawless on-field performance, especially when shooting at supremely long distances. Its exclusive 550-ballistic reticle has been made especially thin to avoid impairing the target acquisition, while also being dual illuminated and laser-etched.



SECOND FOCAL  
PLANE




IDEAL FOR  
LONG DISTANCE  
SHOOTING



30MM TUBE  
DIAMETER

ABSOLUTE



**#7179 5x-40x56 ZOOM**  
MODIFIED HALF MIL-DOT RETICLE  
WITH DUAL ILLUMINATION  
(RED - BLUE)

## FEATURES

- › ED GLASS
- › 30MM TUBE
- › CONSTANT LONG EYE RELIEF AT ALL MAGNIFICATIONS
- › COMPACT DESIGN WITH WIDE FIELD OF VIEW
- › SIDE PARALLAX WHEEL
- › EXCEPTIONAL OPTICAL PERFORMANCE, WITH DISTORTION-FREE RESOLUTION
- › ULTRA WIDE BAND FULLY MULTI-COATING FOR HIGH TRANSMISSION AND INCREDIBLE CLARITY
- › HYDROPHOBIC LENS COATING SUITABLE FOR RAINY DAYS
- › HIGH PRECISION LOCKING TACTICAL TURRETS
- › SUNSHADE INCLUDED
- › ENGRAVED RETICLE

CODE	7179
MAGNIFICATION X OBJECTIVE DIAMETER	5-40X56 ZOOM
RETICLE	MODIFIED MIL-DOT
FIELD OF VIEW (AT 100M/YDS)	7.3M - 24 FT AT 5X 0.9M - 3FT AT 40X
WEIGHT (GR/OZ)	800GR - 28.2OZ
LENGTH (MM/INCHES)	401.5MM - 15.8"
EYE RELIEF (MM/INCHES)	91MM - 3.5" AT 5X • 92MM - 3.6" AT 40X
EXIT PUPIL (MM)	8 AT 5X 1.4 AT 40X
CLICK VALUE (AT 100M/YDS)	1/10 MIL
ADJUSTING RANGE (AT 100M/YDS)	20 M.O.A.
MOUNTING LENGTH (MM/INCHES)	182.8MM - 7.19"

## THE ED GLASS ADVANTAGE

Superb light transmission. Impeccable sharpness and clarity. Excellent image quality with unbelievable contrast at the highest magnifications. These are the main traits of the superior ED glass and in the past you would have had to pay a hefty price for that.

Not anymore: our # 7179 model is supremely affordable and is therefore a dream come true for long distance shooters, by virtue of its huge 5x-40x zoom power to go along with an array of truly incomparable features.




SECOND FOCAL  
PLANE



IDEAL FOR  
LONG DISTANCE  
SHOOTING



30MM TUBE  
DIAMETER



**#7165 4x-16x50 ZOOM**  
GERMAN-4 RETICLE  
WITH DUAL ILLUMINATION  
(RED-BLUE)

## FEATURES

- › 30MM TUBE
- › ENGRAVED RETICLE WITH DUAL ILLUMINATION
- › LOCKING TURRETS (PUSH-PULL)
- › PRECISION 1/4 M.O.A. ADJUSTMENTS
- › FULLY MULTI-COATED OPTICS
- › FAST FOCUS OCULAR
- › WATERPROOF, SHOCKPROOF, FOGPROOF
- › PATENTED PARALLAX WHEEL FOR SUPREMELY ACCURATE MEASUREMENTS OF SHOOTING DISTANCE
- › ANTI-CANTING BUBBLE LEVEL

CODE	7165
MAGNIFICATION X OBJECTIVE DIAMETER	4-16X50
RETICLE	GERMAN-4 WITH DUAL ILLUMINATION
FIELD OF VIEW (AT 100M/YDS)	6.7M - 21.9 FT AT 4X 2.3M - 7.8 FT AT 16X
WEIGHT (GR/OZ)	746GR - 26.3OZ
LENGTH (MM/INCHES)	380MM - 14.9"
EYE RELIEF (MM/INCHES)	80MM-3.14" AT 4X • 66MM-2.59" AT 16X
EXIT PUPIL (MM)	13.5 AT 4X 6.6 AT 16X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	27 MM
MOUNTING LENGTH (MM/INCHES)	80MM - 3.14"

## REINVENTING THE PARALLAX WHEEL

As another addition to the 30mm family of Konus riflescopes, the Armada models are able to deliver an unprecedented optical quality at an extremely competitive price level. Chock-full of advanced and professional features, they are especially notable for their revolutionary parallax system that delivers incomparable accuracy by virtue of its exclusive and patented technology.






SECOND FOCAL  
PLANE




IDEAL FOR  
LONG DISTANCE  
SHOOTING



30MM TUBE  
DIAMETER



ARMADA



**#7166 6x-24x56 ZOOM**  
FINE CROSSHAIR RETICLE  
WITH DUAL ILLUMINATED DOT  
(RED-BLUE)



## FEATURES

- › 30MM TUBE
- › ENGRAVED RETICLE WITH DUAL ILLUMINATION
- › LOCKING TURRETS (PUSH-PULL)
- › PRECISION 1/8 M.O.A. ADJUSTMENTS
- › FULLY MULTI-COATED OPTICS
- › FAST FOCUS OCULAR
- › WATERPROOF, SHOCKPROOF, FOGPROOF
- › PATENTED PARALLAX WHEEL FOR SUPREMELY ACCURATE MEASUREMENTS OF SHOOTING DISTANCE
- › ANTI-CANTING BUBBLE LEVEL

CODE	7166
MAGNIFICATION X OBJECTIVE DIAMETER	6-24X56 ZOOM
RETICLE	ENGRAVED FINE CROSSHAIR WITH DUAL ILLUMINATED DOT (RED-BLUE)
FIELD OF VIEW (AT 100M/YDS)	5.2M - 17.2 FT AT 6X 1.7M - 5.7FT AT 24X
WEIGHT (GR/OZ)	855GR - 30.1OZ
LENGTH (MM/INCHES)	420MM - 16.5"
EYE RELIEF (MM/INCHES)	72MM - 2.8" AT 6X • 63MM - 2.4" AT 24X
EXIT PUPIL (MM)	10.5 AT 6X 5.3 AT 24X
CLICK VALUE (AT 100M/YDS)	1/8 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	25 MM
MOUNTING LENGTH (MM/INCHES)	80MM - 3.14"


## REINVENTING THE PARALLAX WHEEL

While the average parallax wheel will simply provide an estimation about a given distance (200 m/yds will be anything between 190 m/yds and 210 m/yds) the exclusive system of the Armada models is spot-on and flawless with every single measurement instead (200 m/yds will be 200 m/yds, with the same precision of a laser rangefinder).



## #7331 6x-24x50 ZOOM

10 INTERCHANGEABLE  
ILLUMINATED RETICLES




## FEATURES

- › 6X-24X ZOOM POWER
- › ONE PIECE 30MM ALUMINUM TUBE
- › 10 INTERCHANGEABLE RETICLES
- › LOCKING TACTICAL TURRETS
- › 1/8 M.O.A. ADJUSTMENTS
- › WATERPROOF, FOGPROOF, SHOCKPROOF
- › FULLY MULTI-COATED OPTICS
- › PATENTED PARALLAX WHEEL THAT IS POSITIONED ON THE ZOOM RING
- › RED COLOUR ILLUMINATION

CODE	7331
MAGNIFICATION X OBJECTIVE DIAMETER	6-24X50 ZOOM
RETICLE	10 INTERCHANGEABLE RETICLES
FIELD OF VIEW (AT 100M/YDS)	5.6M - 18.3FT AT 6X 2M - 6.5FT AT 24X
WEIGHT (GR/OZ)	780GR - 27.5 OZ
LENGTH (MM/INCHES)	399MM - 15.7"
EYE RELIEF (MM/INCHES)	83.8MM - 3.29" AT 6X • 76.2MM - 3" AT 24X
EXIT PUPIL (MM)	90 AT 6X - 82 AT 24X
CLICK VALUE (AT 100M/YDS)	1/8 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	30MM - 1.18"
MOUNTING LENGTH (MM/INCHES)	165MM - 6.49"

## 10 INTERCHANGEABLE RETICLES WITH PATENTED LCD TECHNOLOGY

A worldwide exclusivity of Konus and the result of a decade long project of electronic engineering, this one-of-a-kind model is taking advantage of a patented LCD technology that will let you browse through 10 interchangeable reticles for long range shooting, intermediate use, tactical and hunting. This is therefore the most technologically advanced and the most versatile scope in the market, a true quantum leap that is finally bringing the optical industry into the 21st Century.



**#7871 3x-9x50 ZOOM**  
ELECTRONIC 30/30  
RETICLE WITH RED DOT



## FEATURES


- › 1/10 MIL ADJUSTMENTS
- › NEW FOCUSING SYSTEMS
- › MODIFIED EYEPIECE WITH LONGER EYE-RELIEF
- › BASE SUITABLE FOR WEAVER/PICATINNY RAIL
- › 3 MODES FOR DAYTIME COLOR - B/W - GREEN
- › 3 MODES FOR NIGHT VISION: NEUTRAL - B/W - GREEN
- › BUILT-IN ZOOM ILLUMINATOR FOR TOTAL DARKNESS
- › 30/30 DIGITAL RETICLE
- › Ø50MM OBJECTIVE
- › VIDEO RECORDING FUNCTION
- › SUPPLIED WITH AV-CABLE, USB CABLE, TWO RECHARGEABLE BATTERIES, 8GB SD-CARD FOR VIDEO STORAGE, PROTECTIVE CASE
- › ADDITIONAL FILTERS FOR IMPROVING CONTRAST
- › WITH COLOR DAYTIME IMAGES

CODE	7871
MAGNIFICATION X OBJECTIVE DIAMETER	3-9X50 ZOOM
RETICLE	30/30
FIELD OF VIEW (AT 100M/YDS)	15.8M - 51.8FT AT 3X 13.1M - 49.9FT AT 9X
WEIGHT (GR/OZ)	1102 GR - 28.8 OZ
LENGTH (MM/INCHES)	220 MM - 8.66"
EYE RELIEF (MM/INCHES)	35 MM - 1.37"
EXIT PUPIL (MM)	8
CLICK VALUE (AT 100M/YDS)	1/10 MIL
ADJUSTING RANGE (AT 100M/YDS)	2.03M - 6.6FT
MOUNTING LENGTH (MM/INCHES)	83 MM - 3.2"

## NIGHT VISION RIFLESCOPE

The acclaimed night vision technology of Konus is now available in a brand new 3-9x50 digital riflescope that is suitable for daytime too.

It comes with a laser illuminator for total darkness and a sturdy metal body that will withstand any kind of abuse while on the field. It works with a rechargeable battery and it will also enable you record videos of what you are observing.



**#7188 2x-16x50 ZOOM**  
GERMAN 4 RETICLE WITH DUAL  
ILLUMINATION (RED - BLUE)

**#7189 3x-24x56 ZOOM**  
FINE CROSSHAIR RETICLE  
WITH DUAL ILLUMINATION (RED-BLUE)

## FEATURES

- › LOCKING TURRETS (PUSH/PULL) RESETTABLE TO ZERO
- › CONSTANT LONG EYE RELIEF AT ALL MAGNIFICATIONS
- › NEWLY DESIGNED ERECTOR TUBE SYSTEM FOR INCREASED RELIABILITY UNDER HEAVY RECOIL FORCE
- › SIDE PARALLAX WHEEL
- › FULLY MULTI-COATING WITH ULTRA-WIDE BAND FOR IMPROVED LIGHT TRANSMISSION AND INCREDIBLE CLARITY
- › EXTREMELY WIDE FIELD OF VIEW
- › REMOVABLE ZOOM LEVER AND SUNSHADE

CODE	7188	7189
MAGNIFICATION X OBJECTIVE DIAMETER	2-16X50 ZOOM	3-24X56 ZOOM
RETICLE	ILLUMINATED GERMAN-4	ILLUMINATED FINE CROSSHAIR
FIELD OF VIEW (AT 100M/YDS)	17.3M - 56.9FT AT 2X 2.3M - 7FT AT 16X	11.4M - 37.6FT AT 3X 1.4M - 4.8FT AT 24X
WEIGHT (GR/OZ)	708G - 25 OZ	765G - 25.69OZ
LENGTH (MM/INCHES)	342MM - 13.5"	381MM - 15"
EYE RELIEF (MM/INCHES)	95.7MM - 3.77" AT 2X 94.9MM - 3.74" AT 16X	96M - 3.77" AT 3X 94M - 3.74" AT 24X
EXIT PUPIL (MM)	7.9 AT 2X 3.2 AT 16X	7.8 AT 3X 2.3 AT 24X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A.	1/8 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	2.28M - 90"	1.77M - 70"
MOUNTING LENGTH (MM/INCHES)	148MM - 5.8"	165MM - 6.4"

## THE CHOICE OF THE MOST ACCOMPLISHED HUNTERS AND SHOOTERS

Two truly all-around riflescopes that will prove to be ideal for countless shooting scenarios, thanks to their 8x zoom system that will assist you flawlessly at both short range and long distance. Optically and mechanically, they are in a league of their own by virtue of their special and superior features that will easily outclass every competing model out there.






SECOND FOCAL  
PLANE



IDEAL FOR  
LONG DISTANCE  
SHOOTING



30MM TUBE  
DIAMETER

DIABLO



### #7172 4x-16x50 ZOOM

550-BALLISTIC RETICLE  
WITH DUAL ILLUMINATION (RED-BLUE)

### #7173 6x-24x50 ZOOM

MODIFIED 1/2 MIL-DOT RETICLE  
WITH DUAL ILLUMINATION  
(RED-BLUE)


## FEATURES

- › EXTREMELY WIDE FIELD OF VIEW
- › 30MM TUBE
- › SIDE PARALLAX WHEEL
- › ENGRAVED RETICLE
- › ULTRA WIDE BAND FULLY MULTI-COATING FOR INCREASED TRANSMISSION AND BETTER CLARITY
- › HYDROPHOBIC LENS COATING SUITABLE FOR RAINY DAYS
- › EXTREMELY ACCURATE MAGNIFICATION FOR ACCURATE BALLISTIC TRAJECTORY
- › NEWLY DESIGNED ERECTOR TUBE SYSTEM FOR INCREASED RELIABILITY UNDER HEAVY RECOIL FORCE
- › SUNSHADE INCLUDED

CODE	7172	7173
MAGNIFICATION X OBJECTIVE DIAMETER	4-16X50 ZOOM	6-24X50 ZOOM
RETICLE	ILLUMINATED 550 BALLISTIC	ILLUMINATED 1/2 MIL-DOT
FIELD OF VIEW (AT 100M/YDS)	9.27M-19.4 FT AT 4X 2.4M-5.2FT AT 16X	6.46M-27.8FT AT 6X 1.74M-7.3FT AT 24X
WEIGHT (GR/OZ)	680 GR - 23.9 OZ	726 GR - 25.6 OZ
LENGTH (MM/INCHES)	342.9 MM - 13.5"	386.08 MM - 15.2"
EYE RELIEF (MM/INCHES)	81.28 MM - 3.2"	81.28MM - 3.2"
EXIT PUPIL (MM)	9.8 AT 4X 3 AT 16X	7.3 AT 6X 2.2 AT 24X
CLICK VALUE (AT 100M/YDS)	1/4 MOA	1/10 MIL
ADJUSTING RANGE (AT 100M/YDS)	1.69M 66.53"	1.35M 53.14"
MOUNTING LENGTH (MM/INCHES)	149MM 5.8"	173MM 6.8"

## THE RIFLESCOPES THAT MAXIMIZE PERFORMANCE AND VALUE

These riflescopes are designed for utmost versatility across multiple shooting disciplines and are especially suitable for varmint hunting and target shooting. Taking into account their mechanical reliability and optical brilliance, they are offered at an unprecedented price level and are therefore an ideal solution for sportsmen on a budget.



**#7183 1x-10x24 ZOOM**  
ENGRAVED CIRCLE-DOT  
RETICLE WITH DUAL ILLUMINATION  
(RED-BLUE)



## FEATURES

- › 1X-10X ZOOM POWER
- › 30MM TUBE
- › FLIP-UP COVERS INCLUDED
- › ILLUMINATED CIRCLE-DOT RETICLE (RED-BLUE)
- › WATERPROOF, SHOCKPROOF, FOGPROOF
- › FULLY MULTI-COATED
- › REMOVABLE ZOOM LEVER
- › LOCKABLE TACTICAL TURRETS (RESETTABLE TO ZERO)
- › PRECISION 1/2 M.O.A. ADJUSTMENTS

CODE	7183
MAGNIFICATION X OBJECTIVE DIAMETER	1-10X24 ZOOM
RETICLE	ILLUMINATED CIRCLE-DOT
FIELD OF VIEW (AT 100M/YDS)	36.9M -121.2FT AT 1X 3.5M - 11.5FT AT 10X
WEIGHT (GR/OZ)	544.3 GR - 19.2 OZ
LENGTH (MM/INCHES)	245.43 MM - 10.45"
EYE RELIEF (MM/INCHES)	95MM-3.7" AT 1X • 90MM-3.5" AT 10X
EXIT PUPIL (MM)	24 AT 1X 2.4 AT 10X
CLICK VALUE (AT 100M/YDS)	1/2 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	2.7M - 110"
MOUNTING LENGTH (MM/INCHES)	169.5 MM - 6.6"

## THE ULTIMATE HUNTING RIFLESCOPE

A truly revolutionary model with an incomparably versatile 10x zoom system that will assist you while shooting at literally any given distance.



SECOND FOCAL  
PLANE




IDEAL FOR  
TACTICAL



34MM TUBE  
DIAMETER

# KONUSPRO AS-34



## #7170 2x-6x28 ZOOM

ENGRAVED MIL-DOT RETICLE WITH  
DUAL ILLUMINATION (RED-GREEN)



## FEATURES

- › WATERPROOF, FOGPROOF, SHOCKPROOF
- › NITROGEN FILLED
- › WIDE ANGLE
- › FAST FOCUS OCULAR
- › FULLY MULTI-COATED OPTICS
- › ENGRAVED RETICLE IN THE SECOND FOCAL PLANE WITH RED/GREEN ILLUMINATION
- › LOCKING TACTICAL TURRETS
- › DUAL ILLUMINATOR SWITCH WITH 5 BRIGHTNESS SETTINGS
- › 34MM TUBE DIAMETER
- › ILLUMINATED LEVEL BUBBLE
- › PRECISION 1/4 M.O.A. ADJUSTMENTS

CODE	7170
MAGNIFICATION X OBJECTIVE DIAMETER	2-6X28 ZOOM
RETICLE	ILLUMINATED MIL-DOT
FIELD OF VIEW (AT 100M/YDS)	18 M - 54 FT AT 2X 7.3 M - 22 FT AT 6X
WEIGHT (GR/OZ)	560 GR - 19.75 OZ
LENGTH (MM/INCHES)	212 MM - 8.35"
EYE RELIEF (MM/INCHES)	122MM-4.8" AT 2X • 104MM-4.09" AT 6X
EXIT PUPIL (MM)	14 AT 2X - 4.7 AT 6X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	2.67 M - 105.1"
MOUNTING LENGTH (MM/INCHES)	68 MM - 2.677"

## ELECTRONIC TACTICAL SCOPE

The Konuspro AS-34 has been constructed with quick target acquiring properties. Speed and accuracy have therefore been enhanced, whether at the range or in close quarter combat situations. A beefy outer diameter of 34mm will withstand the most extreme conditions, while an integrated tri-rail system will accept all of your accessories. Completely waterproof, this model features a dual illuminated Mil-Dot reticle and an illuminated level bubble for low light shooting. The base is reversible and will fit both the Weaver/Picatinny and .22 rails, while the field of view is especially wide for fast moving targets.

# KONUSPRO F-30




FIRST FOCAL  
PLANE



IDEAL FOR  
HUNTING



30MM TUBE  
DIAMETER



**#7299 4x-16x52 ZOOM**  
550 BALLISTIC RETICLE WITH DUAL  
ILLUMINATED (RED-BLUE)  
CENTER CIRCLE

## FEATURES

- › 550 BALLISTIC ENGRAVED RETICLE WITH RED/BLUE ILLUMINATED CIRCLE
- › FLIP-UP COVERS INCLUDED
- › SUNSHADE INCLUDED
- › LEVEL BUBBLE
- › WATERPROOF, FOGPROOF SHOCKPROOF
- › NITROGEN FILLED
- › FULLY MULTI COATED OPTICS
- › FAST FOCUS OCULAR
- › 45° OFFSET ILLUMINATOR SWITCH WITH 5 INTENSITIES FOR COLOR
- › MID-SIZED PARALLAX WHEEL (DOWN TO 10 YDS)
- › PRECISION 1/4 M.O.A. ADJUSTMENTS
- › 30 MM TUBE DIAMETER

CODE	7299
MAGNIFICATION X OBJECTIVE DIAMETER	4-16X52 ZOOM
RETICLE	550 BALLISTIC WITH ILLUMINATED CIRCLE
FIELD OF VIEW (AT 100M/YDS)	7.1 M - 23.1 FT AT 4X 1.9 M - 6.5 FT AT 16X
WEIGHT (GR/OZ)	780 GR - 27.5 OZ
LENGTH (MM/INCHES)	365 MM - 14.3"
EYE RELIEF (MM/INCHES)	88.9MM - 3.5"
EXIT PUPIL (MM)	12.5 AT 4X 3.1 AT 16X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	1.7 M - 67"
MOUNTING LENGTH (MM/INCHES)	151 MM - 5.9"

## THE FIRST FOCAL PLANE REVOLUTION

Konus is proud to introduce a revolutionary series of riflescopes featuring an engraved reticle on the first focal plane. Highly appreciated by the marksmen of the most decorated military corps for its incomparable precision and ease of use, this particularly complex construction system is now more affordable than ever.






FIRST FOCAL  
PLANE




IDEAL FOR  
LONG DISTANCE  
SHOOTING




30MM TUBE  
DIAMETER

# KONUSPRO F-30



**#7297 6x-24x52 ZOOM**  
1/2 MIL-DOT RETICLE WITH DUAL  
ILLUMINATED (RED-BLUE) CENTER  
CIRCLE



**#7298 8x-32x56 ZOOM**  
1/2 MIL-DOT RETICLE WITH DUAL  
ILLUMINATED (RED-BLUE) CENTER  
CIRCLE

## FEATURES

- › 1/2 MIL DOT ENGRAVED RETICLE
- › FLIP-UP COVERS INCLUDED
- › SUNSHADE INCLUDED
- › LEVEL BUBBLE
- › WATERPROOF, FOGPROOF, SHOCKPROOF
- › LOCKING TACTICAL TURRET KNOBS
- › NITROGEN FILLED
- › FAST FOCUS OCULAR
- › 45° OFFSET ILLUMINATOR SWITCH WITH 5 INTENSITIES FOR COLOR (RED/BLUE)
- › MID-SIZED PARALLAX WHEEL (DOWN TO 10 YARDS)
- › PRECISION 1/10 MIL ADJUSTMENTS
- › 30 MM TUBE DIAMETER

CODE	7297	7298
MAGNIFICATION X OBJECTIVE DIAMETER	6-24X52 ZOOM	8-32X56 ZOOM
RETICLE	ILLUM. MODIFIED 1/2 MIL-DOT	ILLUM. MODIFIED 1/2 MIL-DOT
FIELD OF VIEW (AT 100M/YDS)	4.51 M - 14.8 FT AT 6X 1.3 M - 4.3 FT AT 24X	3.7 M - 12.1 FT AT 8X 1.1 M - 3.4 FT AT 32X
WEIGHT (GR/OZ)	810 GR - 26.8 OZ	890 GR - 31.4 OZ
LENGTH (MM/INCHES)	417 MM - 16.4"	444 MM - 17.5"
EYE RELIEF (MM/INCHES)	88.9 MM - 3.5"	88.9 MM - 3.5"
EXIT PUPIL (MM)	8.3 AT 6X 2.2 AT 24X	7 AT 8X 1.7 AT 32X
CLICK VALUE (AT 100M/YDS)	1/10 MIL	1/10 MIL
ADJUSTING RANGE (AT 100M/YDS)	1.47 M 58"	1.14 M 45"
MOUNTING LENGTH (MM/INCHES)	161 MM 6.4"	165 MM 6.5"

## THE FIRST FOCAL PLANE REVOLUTION

Combining the utmost precision of the first focal plane construction system with a never-before-seen versatility, these brand new riflescopes are truly ideal for performance-driven long distance, target and bench-rest shooters.


# KONUSPRO M-30




SECOND FOCAL  
PLANE



IDEAL FOR  
LONG DISTANCE  
SHOOTING



30MM TUBE  
DIAMETER



**#7289 12.5x-50x56 ZOOM**  
ENGRAVED 1/2 MIL-DOT  
WITH DUAL ILLUMINATION  
(RED-BLUE)

## FEATURES

- › FLIP-UP COVERS INCLUDED
- › SUNSHADE INCLUDED
- › LEVEL BUBBLE
- › 1/10 MIL ADJUSTMENTS
- › ONE-PIECE TUBE
- › LOCKING TACTICAL TURRET KNOBS
- › NITROGEN FILLED
- › MID-SIZED PARALLAX WHEEL
- › FULLY MULTI COATED OPTICS
- › LOCKING FAST FOCUS OCULAR
- › 30MM TUBE DIAMETER

CODE	7289
MAGNIFICATION X OBJECTIVE DIAMETER	12.5-50X56 ZOOM
RETICLE	1/2 MIL DOT ILLUMINATED
FIELD OF VIEW (AT 100M/YDS)	2.9 M - 9.7FT AT 12.5X 0.7M - 2.5 FT AT 50X
WEIGHT (GR/OZ)	870 GR - 30.6 OZ
LENGTH (MM/INCHES)	449 MM - 17.6"
EYE RELIEF (MM/INCHES)	76.2MM - 3" 12.5X • 65MM - 2.5" AT 50X
EXIT PUPIL (MM)	4.4 AT 12.5X 1.15 AT 50X
CLICK VALUE (AT 100M/YDS)	1/10 MIL
ADJUSTING RANGE (AT 100M/YDS)	0.81 M 32"
MOUNTING LENGTH (MM/INCHES)	195 MM 7.6"

## THE RIFLESCOPE IN A CLASS BY ITSELF


This supremely powerful model stands out as the best and ultimate riflescope for long distance shooting, thus giving every demanding sportsman the chance to step on the field and successfully take even the most prohibitive shot.



SECOND FOCAL  
PLANE



IDEAL FOR  
HUNTING



30MM TUBE  
DIAMETER

KONUSPRO M-30



### #7182 1x-6x24 ZOOM

ENGRAVED CIRCLE-DOT  
RETICLE WITH DUAL ILLUMINATION  
(RED-BLUE)

### #7184 1x-4x24 ZOOM

ENGRAVED CIRCLE-DOT  
RETICLE WITH DUAL ILLUMINATION  
(RED-BLUE)


## FEATURES

- › ENGRAVED RETICLE WITH DUAL ILLUMINATION
- › FINGER ADJUSTABLE TACTICAL TURRETS
- › PRECISION 1/2 M.O.A. ADJUSTMENTS
- › FULLY MULTI-COATED OPTICS
- › FAST FOCUS OCULAR
- › WATERPROOF, SHOCKPROOF, FOGPROOF


CODE	7182	7184
MAGNIFICATION X OBJECTIVE DIAMETER	1-6X24 ZOOM	1-4X24 ZOOM
RETICLE	ILLUMINATED CIRCLE-DOT	ILLUMINATED CIRCLE-DOT
FIELD OF VIEW (AT 100M/YDS)	36M - 109FT AT 1X 5.5M - 16.7FT AT 6X	30.6M - 100FT AT 1X 7.6M - 25FT AT 4X
WEIGHT (GR/OZ)	485 GR - 17.1 OZ	500 GR - 17.6 OZ
LENGTH (MM/INCHES)	247 MM - 9.72"	294 MM - 11.6"
EYE RELIEF (MM/INCHES)	103MM - 4.05" AT 1X 93MM - 3" AT 6X	101 MM - 3.9" AT 1X 90MM - 3.5" AT 4X
EXIT PUPIL (MM)	11 AT 1X 4 AT 6X	12 AT 1X 6 AT 4X
CLICK VALUE (AT 100M/YDS)	1/2 M.O.A.	1/2 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	2.9 M - 114.1"	2.7 M - 110"
MOUNTING LENGTH (MM/INCHES)	150 MM - 5.9"	170 MM - 6.6"

## IDEAL FOR SHOOTING AT SHORT/MEDIUM RANGE

These models will deliver an impeccable and rewarding performance on countless types of hunt and even in the faintest light conditions. They are especially suitable for shooting at close and medium distance or aiming at fast moving targets.



**#7180 2.5x-10x50 ZOOM**  
30/30 RETICLE WITH DUAL  
ILLUMINATED FLOATING CROSS  
(RED-BLUE)



**#7181 3x-12x56 ZOOM**  
30/30 RETICLE WITH DUAL  
ILLUMINATED FLOATING CROSS  
(RED-BLUE)

## FEATURES

- › WATERPROOF/FOGPROOF/ SHOCKPROOF
- › EXTRA WIDE FIELD OF VIEW (20% WIDER THAN STANDARD MODELS)
- › FULLY MULTI-COATED OPTICS
- › PRECISION 1/4 M.O.A. ADJUSTMENTS
- › DUAL LOCKING TURRETS WITH ZERO-RESETTING BEZEL
- › 30/30 ENGRAVED RETICLE WITH FLOATING CROSS
- › DUAL ILLUMINATION (RED/BLUE)
- › ONE PIECE TUBE CONSTRUCTION
- › FAST FOCUS OCULAR

CODE	7180	7181
MAGNIFICATION X OBJECTIVE DIAMETER	2.5-10X50 ZOOM	3-12X56 ZOOM
RETICLE	30/30 ILLUM. FLOATING CROSS	30/30 ILLUM. FLOATING CROSS
FIELD OF VIEW (AT 100M/YDS)	15.4M - 50.8FT AT 2.5X 3.8M - 12.7FT AT 10X	13M - 42.8FT AT 3X 3.2M - 10.7FT AT 12X
WEIGHT (GR/OZ)	640 GR - 22.58 OZ	720 GR - 25.4 OZ
LENGTH (MM/INCHES)	328 MM - 12.9"	340 MM - 13.4"
EYE RELIEF (MM/INCHES)	83.82 MM 3.3"	83.82 MM 3.3"
EXIT PUPIL (MM)	20 AT 2.5X 5 AT 10X	18.6 AT 3X 4.6 AT 12X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A.	1/4 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	1.52 M - 60"	1.52 M - 60"
MOUNTING LENGTH (MM/INCHES)	141 MM - 5.55"	144 MM - 5.67"

## RIFLESCOPES WITH DUAL-ZERO LOCKING SYSTEM

The Konuspro LZ-30 series of riflescopes features an advanced, dual locking system that is designed to lock-in your final adjustments and reset your bezel to zero with utmost precision. Its one-piece 30mm tube is unbelievably rugged, while its fully multi-coated high quality glass is able to generate the maximum light transmission under the most unfavorable conditions. The unique 30/30 reticle with floating cross is etched for supreme recoil resistance and is also dual-illuminated in red and blue. The field of view is extremely generous, being 20% wider than the other comparable models that are currently on the market.





SECOND FOCAL  
PLANE



IDEAL FOR  
LONG DISTANCE  
SHOOTING



30MM TUBE  
DIAMETER

# KONUSPRO T-30



**#7291 3x-12x44 ZOOM**  
ENGRAVED 550 BALLISTIC  
WITH DUAL ILLUMINATION  
(RED-BLUE)

**#7292 3x-12x50 ZOOM**  
MIL-DOT ENGRAVED RETICLE WITH  
DUAL ILLUMINATION  
(RED-BLUE)


## FEATURES

- › WATERPROOF, FOGPROOF, SHOCKPROOF
- › NITROGEN FILLED
- › FULLY MULTI COATED OPTICS
- › FLIP-UP COVERS INCLUDED
- › 30MM TUBE (THROUGHOUT)
- › ONE PIECE TUBE CONSTRUCTION
- › FULLY ILLUMINATED RETICLE IN DUAL COLOR (RED/BLUE)
- › SUPER COMPACT BODY
- › PRECISION 1/4 M.O.A. ADJUSTMENTS

CODE	7291	7292
MAGNIFICATION X OBJECTIVE DIAMETER	3-12X44 ZOOM	3-12X50 ZOOM
RETICLE	BALLISTIC 550 ILLUMINATED	ILLUMINATED MIL-DOT
FIELD OF VIEW (AT 100M/YDS)	11.1 M - 36.7 FT AT 3X 2.7M - 9.1 FT AT 12X	7M - 22.9 FT AT 3X 1.75M - 5.7 FT AT 12X
WEIGHT (GR/OZ)	576 GR - 20.3 OZ	576 GR - 20.3 OZ
LENGTH (MM/INCHES)	252 MM - 9.92"	252 MM - 9.92"
EYE RELIEF (MM/INCHES)	90 MM - 3.54"	90 MM - 3.54"
EXIT PUPIL (MM)	9.4 AT 3X 3.7 AT 12X	11 AT 3X 2.7 AT 12X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A	1/4 M.O.A
ADJUSTING RANGE (AT 100M/YDS)	2.54 M - 100"	2.54 M - 100"
MOUNTING LENGTH (MM/INCHES)	90 MM - 3.5"	88 MM - 3.4"

## THE SUPER COMPACT RIFLESCOPES FOR THE TACTICAL INDUSTRY

A highly innovative concept in the shooting industry, our Konuspro-T30 series features the same impeccable optical quality of our acclaimed Konuspro-M30 models in a much more compact configuration that is an ideal fit for the very demanding tactical field.



**#7190 3x-12x50 ZOOM**  
30/30 RETICLE WITH DUAL  
ILLUMINATED FLOATING CROSS  
(RED-BLUE)



## FEATURES

- › 3X-12X ZOOM POWER
- › 50MM OBJECTIVE DIAMETER
- › SUNSHADE INCLUDED
- › SIDE PARALLAX ADJUSTING KNOB
- › LOW PROFILE TACTICAL TURRETS
- › ONE PIECE ALUMINUM TUBE
- › 1/4 M.O.A. ADJUSTMENTS
- › WATERPROOF, FOGPROOF SHOCKPROOF
- › FULLY MULTI-COATED OPTICS
- › ENGRAVED RETICLE WITH DUAL ILLUMINATION (RED-BLUE)

CODE	7190
MAGNIFICATION X OBJECTIVE DIAMETER	3-12X50 ZOOM
RETICLE	30/30 ILLUMINATED FLOATING CROSS
FIELD OF VIEW (AT 100M/YDS)	9.6 M - 31.53 FT AT 3X 2.8 M - 9.43 FT AT 12X
WEIGHT (GR/OZ)	940 GR - 33.1 OZ
LENGTH (MM/INCHES)	335MM - 13.1"
EYE RELIEF (MM/INCHES)	72.3MM - 2.85"
EXIT PUPIL (MM)	5 AT 3X 2.6 AT 12X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A
ADJUSTING RANGE (AT 100M/YDS)	2,32 M - 91.3"
MOUNTING LENGTH (MM/INCHES)	135 MM - 5.31"

## THE IDEAL HUNTING RIFLESCOPE

This model is tailor-made for countless types of game, by virtue of its fully multi-coated optics, side parallax knob and engraved/illuminated reticle. It comes with newly-designed low profile turrets and with a field of view that is extremely generous, being 20% wider than the other comparable models that are currently on the market.



SECOND FOCAL  
PLANE




IDEAL FOR  
LONG DISTANCE  
SHOOTING



1" TUBE  
DIAMETER

# KONUSPRO-PLUS



**#7274 6x-24x50 A.O.**  
ENGRAVED FINE CROSSHAIR  
WITH DUAL ILLUMINATED DOT  
(RED-BLUE)



## FEATURES

- › SUNSHADE INCLUDED
- › ADJUSTABLE OBJECTIVE
- › FINE CROSSHAIR WITH ILLUMINATED DOT
- › NEW FINGER ADJUSTABLE TACTICAL TURRETS
- › WATERPROOF, FOGPROOF, SHOCKPROOF
- › OPTICAL COATING: FULLY MULTI COATED
- › ILLUMINATED WITH 5 DIFFERENT INTENSITIES FOR EACH COLOR
- › PRECISION 1/8 M.O.A. ADJUSTMENTS

CODE	7274
MAGNIFICATION X OBJECTIVE DIAMETER	6-24X50 A.O.
RETICLE	ILLUMINATED FINE CROSSHAIR
FIELD OF VIEW (AT 100M/YDS)	5.41 M - 16.2 FT AT 6X 1.48 M - 4.45 FT AT 24X
WEIGHT (GR/OZ)	799 GR - 28.2 OZ
LENGTH (MM/INCHES)	416 MM - 16.4"
EYE RELIEF (MM/INCHES)	89 MM - 3.4"
EXIT PUPIL (MM)	8.3 AT 6X 2.1 AT 24X
CLICK VALUE (AT 100M/YDS)	1/8 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	1.16 M - 41.8"
MOUNTING LENGTH (MM/INCHES)	157 MM - 6.18"

## HIGH END OPTICS FOR THE PROFESSIONALS

This model is an invaluable companion for varmint hunters and long distance shooters, thanks to its precision 1/8 M.O.A. adjustments coupled with a fine crosshair reticle.

# KONUSPRO 550



SECOND FOCAL  
PLANE



IDEAL FOR  
LONG DISTANCE  
SHOOTING



1" TUBE  
DIAMETER



**#7275 3x-9x40 ZOOM**  
ENGRAVED 550  
BALLISTIC RETICLE



**#7277 4x-16x50 A.O.**  
ENGRAVED 550  
BALLISTIC RETICLE



**#7276 3x-9x40 ZOOM**  
ENGRAVED 550 BALLISTIC RETICLE  
WITH DUAL ILLUMINATED DOT  
(RED-BLUE)

## FEATURES

- › ENGRAVED 550 RETICLE (#7275 AND #7277)
- › ENGRAVED 550 RETICLE WITH ILLUMINATED DOT IN RED AND BLUE (#7276)
- › ADJUSTABLE OBJECTIVE (#7277)
- › WATERPROOF, FOGPROOF, SHOCKPROOF
- › MULTI COATED OPTICS
- › FINGER ADJUSTABLE TURRETS
- › NITROGEN PURGED 100%
- › PRECISION 1/4 M.O.A. ADJUSTMENTS (#7275-76)
- › PRECISION 1/8 S ADJUSTMENTS (#7277)

CODE	7275	7276	7277
MAGNIFICATION X OBJECTIVE DIAMETER	3-9X40 ZOOM	3-9X40 ZOOM	4-16X50 A.O.
RETICLE	550 BALLISTIC	550 BALLISTIC WITH ILLUM. DOT	550 BALLISTIC
FIELD OF VIEW (AT 100M/YDS)	12.3M - 37FT AT 3X 4.1M - 12.3FT AT 9X	12.3M - 37FT AT 3X 4.1M - 12.3FT AT 9X	7.83M - 23.4FT AT 4X 1.95M - 5.87FT AT 16X
WEIGHT (GR/OZ)	399 GR 14.1 OZ	420 GR 14.8 OZ	697 GR 24.6 OZ
LENGTH (MM/INCHES)	320MM - 12.5"	320MM - 12.5"	406 MM - 16"
EYE RELIEF (MM/INCHES)	76 MM 2.9"	76 MM 2.9"	76 MM 2.9"
EXIT PUPIL (MM)	10 AT 3X 4.4 AT 9X	10 AT 3X 4.4 AT 9X	10 AT 4X 3.1 AT 16X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A.	1/4 M.O.A.	1/8 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	1.3 M 51.1"	1.3 M 51.1"	1.7 M 66.9"
MOUNTING LENGTH (MM/INCHES)	141 MM 5.5"	141 MM 5.5"	152 MM 5.9"

## A SPECIAL BALLISTIC RETICLE FOR LONG DISTANCE SHOOTING

The purpose of this reticle is to sensibly extend your range and improve your accuracy while taking the most difficult shots, because this reticle provides you with several aiming points that correspond to different distances and are based on the most popular centerfire and black powder loads. Due to its lateral hash marks, this reticle also allows for compensation in case of strong crosswinds.





SECOND FOCAL  
PLANE



IDEAL FOR  
HUNTING



1" TUBE  
DIAMETER

KONUSPRO 275



#### #7278 3x-9x40 ZOOM

ENGRAVED 275  
BALLISTIC RETICLE

#### #7279 3x-10x44 ZOOM

ENGRAVED 275 BALLISTIC  
RETICLE WITH ILLUMINATED DOT


## FEATURES

- › ENGRAVED 275 RETICLE (#7278)
- › ENGRAVED 275 RETICLE WITH ILLUMINATED DOT IN RED AND BLUE (#7279)
- › FINGER ADJUSTABLE TURRETS
- › NITROGEN PURGED, 100%
- › WATERPROOF, SHOCKPROOF, FOGPROOF
- › MULTI-COATED OPTICS
- › PRECISION 1/4 M.O.A. ADJUSTMENTS


CODE	7278	7279
MAGNIFICATION X OBJECTIVE DIAMETER	3-9X40 ZOOM	3-10X44 ZOOM
RETICLE	275 BALLISTIC	275 BALLISTIC W/ILLUMIN. DOT
FIELD OF VIEW (AT 100M/YDS)	11.5M - 38FT AT 3X 3.8M - 12.5 FT AT 9X	10.7M - 35FT AT 3X 3.3M - 10.8 FT AT 10X
WEIGHT (GR/OZ)	399 GR - 14.1 OZ	498 GR - 17.6 OZ
LENGTH (MM/INCHES)	315 MM - 12.4"	335 MM - 13.2"
EYE RELIEF (MM/INCHES)	76 MM - 2.9"	76.2 MM - 3"
EXIT PUPIL (MM)	13.3 AT 3X 4.4 AT 9X	14.7 AT 3X 4.4 AT 10X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A	1/4 M.O.A
ADJUSTING RANGE (AT 100M/YDS)	1.3 M 51.1"	1.3 M 51.1"
MOUNTING LENGTH (MM/INCHES)	142 MM 5.6"	142 MM 5.6"

## A SPECIAL BALLISTIC RETICLE FOR SHORT/MEDIUM DISTANCE SHOOTING

The Konuspro-275 models help to remove the guesswork out of shooting, since their reticle is featuring several aiming points that are calibrated from 75 to 275 yards and coincide with the most popular loads. Lateral hash marks have also been added to compensate for wind. These riflescopes consequentially provide an undeniable advantage in terms of improved accuracy and better performance.



**#7256 3x-12x50 ZOOM**  
ENGRAVED  
30/30 RETICLE



**#7259 6x-24x44 ZOOM**  
ENGRAVED  
MIL-DOT RETICLE

## FEATURES

- › ADJUSTABLE OBJECTIVE
- › SUNSHADE INCLUDED (#7256)
- › FINGER ADJUSTABLE TURRETS
- › NITROGEN PURGED, 100%
- › WATERPROOF, SHOCKPROOF, FOGPROOF
- › MULTI-COATED OPTICS
- › 30/30 ENGRAVED RETICLE (#7256)
- › PRECISION 1/4 M.O.A. ADJUSTMENTS (#7256)
- › MIL-DOT ENGRAVED RETICLE (#7259)
- › PRECISION 1/8 M.O.A. ADJUSTMENTS (#7259)

CODE	7256	7259
MAGNIFICATION X OBJECTIVE DIAMETER	3-12X50 ZOOM	6-24X44 ZOOM
RETICLE	30/30	MIL-DOT
FIELD OF VIEW (AT 100M/YDS)	9.5M - 31FT AT 3X 2.4M - 7.8FT AT 12X	5.02M - 31FT AT 6X 1.24M - 4FT AT 24X
WEIGHT (GR/OZ)	697 GR - 24.6 OZ	598 GR - 21.1 OZ
LENGTH (MM/INCHES)	355 MM - 14"	406 MM - 16"
EYE RELIEF (MM/INCHES)	76.2 MM 3"	76 MM 2.9"
EXIT PUPIL (MM)	16.7 AT 3X 4.2 AT 12X	7.4 AT 6X 2 AT 24X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A.	1/8 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	1.74 M - 68.5"	1.06 M - 41.8"
MOUNTING LENGTH (MM/INCHES)	138 MM - 5.4"	165 MM - 6.5"

## RIFLESCOPES WITH ADJUSTABLE OBJECTIVE

These models include the adjustable objective for the automatic correction of the parallax from 10 yard to infinity, while the #7256 also comes with sunshade. They are suitable for most types of game and are competitively priced.



SECOND FOCAL  
PLANE



IDEAL FOR  
HUNTING



1" TUBE  
DIAMETER

KONUSPRO



**#7264 3x-9x40 ZOOM**  
ENGRAVED  
30/30 RETICLE

**#7255 3x-10x44 ZOOM**  
ENGRAVED  
30/30 RETICLE


## FEATURES

- › FINGER ADJUSTABLE TURRETS
- › NITROGEN PURGED, 100%
- › WATERPROOF, SHOCKPROOF, FOGPROOF
- › MULTI-COATED OPTICS
- › 30/30 ENGRAVED RETICLE
- › PRECISION 1/4 M.O.A. ADJUSTMENTS


CODE	7264	7255
MAGNIFICATION X OBJECTIVE DIAMETER	3-9X40 ZOOM	3-10X44 ZOOM
RETICLE	30/30	30/30
FIELD OF VIEW (AT 100M/YDS)	11.5M - 38FT AT 3X 3.8M - 12.5FT AT 9X	10.7M - 35FT AT 3X 3.3M - 10.8FT AT 10X
WEIGHT (GR/OZ)	399 GR - 14.1 OZ	500 GR - 17.6 OZ
LENGTH (MM/INCHES)	325MM - 12.8"	340MM - 13.4"
EYE RELIEF (MM/INCHES)	76 MM - 2.9"	76.2 MM - 3"
EXIT PUPIL (MM)	13.3 AT 3X 4.4 AT 9X	14.7 AT 3X 4.4 AT 10X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A.	1/4 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	1.3 M - 52.4"	2.03 M - 80"
MOUNTING LENGTH (MM/INCHES)	142 MM - 5.6"	140 MM - 5.5"

## THE ENGRAVED RETICLE TECHNOLOGY

These riflescopes are some of the best-selling units in the whole Konuspro range. Supremely rugged and perfectly recoil-proof, they come with an engraved/laser etched reticle that will be able to withstand extreme forces and will not break, shift or snap even if the riflescope is used with heavy calibers.



**#7265 3x-9x50 ZOOM**  
ENGRAVED  
30/30 RETICLE



**#7294 3x-9x50 ZOOM**  
ENGRAVED 30/30 RETICLE WITH DUAL  
ILLUMINATION (RED-BLUE)

## FEATURES

- › ENGRAVED 30/30 RETICLE WITH DUAL ILLUMINATION (RED-BLUE) (#7294)
- › ENGRAVED 30/30 RETICLE (#7265)
- › FINGER ADJUSTABLE TURRETS
- › NITROGEN PURGED, 100%
- › WATERPROOF, SHOCKPROOF, FOGPROOF
- › MULTI-COATED OPTICS
- › PRECISION 1/4 M.O.A. ADJUSTMENTS

CODE	7265	7294
MAGNIFICATION X OBJECTIVE DIAMETER	3-9X50 ZOOM	3-9X50 ZOOM
RETICLE	30/30	30/30 ILLUMINATED
FIELD OF VIEW (AT 100M/YDS)	11.5M - 38FT AT 3X 3.8M - 12.5FT AT 9X	11.5M - 38FT AT 3X 3.8M - 12.5FT AT 9X
WEIGHT (GR/OZ)	499 GR - 17.6 OZ	510 GR - 18 OZ
LENGTH (MM/INCHES)	355MM - 14"	348MM - 13.7"
EYE RELIEF (MM/INCHES)	76 MM 2.9"	76.2 MM 3"
EXIT PUPIL (MM)	16.7 AT 3X 5.5 AT 9X	16.7 AT 3X 5.5 AT 9X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A	1/4 M.O.A
ADJUSTING RANGE (AT 100M/YDS)	1.3 M - 52.4"	1.3 M - 52.4"
MOUNTING LENGTH (MM/INCHES)	151 MM - 5.9"	150 MM - 5.9"

## THE ENGRAVED RETICLE TECHNOLOGY

These riflescopes are some of the best-selling units in the whole Konuspro range. Supremely rugged and perfectly recoil-proof, they come with an engraved/laser etched reticle that will be able to withstand extreme forces and will not break, shift or snap even if the riflescope is used with heavy calibers.





SECOND FOCAL  
PLANE



IDEAL FOR  
HUNTING



1" TUBE  
DIAMETER

KONUSPRO



**#7249 1.5x-5x32 ZOOM**  
ENGRAVED  
AIM-PRO RETICLE

**#7267 3x-9x32 ZOOM**  
ENGRAVED  
30/30 RETICLE

## FEATURES


- › FINGER ADJUSTABLE TURRETS
- › NITROGEN PURGED, 100%
- › WATERPROOF, SHOCKPROOF, FOGPROOF
- › MULTI-COATED OPTICS
- › WITH MOUNTING RINGS (#7267)
- › ADJUSTABLE OBJECTIVE (#7267)
- › PRECISION 1/4 M.O.A. ADJUSTMENTS

CODE	7249	7267
MAGNIFICATION X OBJECTIVE DIAMETER	1.5-5X32 ZOOM	3-9X32 A.O.
RETICLE	AIM-PRO	30/30
FIELD OF VIEW (AT 100M/YDS)	18.4M - 60FT AT 1.5X 6M - 20 FT AT 5X	9.9M - 32.4FT AT 3X 3.8M - 12.4FT AT 9X
WEIGHT (GR/OZ)	419 GR - 14.1 OZ	503 GR - 17.7 OZ
LENGTH (MM/INCHES)	284MM - 11.6"	325MM - 12.8"
EYE RELIEF (MM/INCHES)	76 MM - 2.9"	76 MM - 2.9"
EXIT PUPIL (MM)	21.3 AT 1.5X 6.4 AT 5X	10.6 AT 3X 3.5 AT 9X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A.	1/4 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	2.12 M - 83.7"	2 M - 78.7"
MOUNTING LENGTH (MM/INCHES)	126 M - 4.9"	128 MM - 5.03"


## THE ENGRAVED RETICLE TECHNOLOGY FOR SHOTGUNS AND AIRGUNS

The Konuspro riflescopes feature a reticle that is actually etched onto precision, multi-coated optical glass, thus eliminating the chance of breaking or misalignment.

The #7249 is especially suitable for shooting at close range, while the #7267 comes with an adjustable objective and mounting rings and is therefore ideal for intermediate airguns models.



**#7260 2x-7x32 ZOOM**  
ENGRAVED  
30/30 RETICLE



**#7262 4x32**  
ENGRAVED  
30/30 RETICLE

## FEATURES

- › WITH MOUNTING RINGS
- › FINGER ADJUSTABLE TURRETS
- › NITROGEN PURGED 100% WATERPROOF
- › MULTI-COATED OPTICS
- › WATERPROOF, SHOCKPROOF, FOGPROOF
- › PRECISION 1/4 M.O.A. ADJUSTMENTS (#7262)
- › PRECISION 1/2 M.O.A. ADJUSTMENTS (#7260)

CODE	7260	7262
MAGNIFICATION X OBJECTIVE DIAMETER	2-7X32 ZOOM	4X32
RETICLE	30/30	30/30
FIELD OF VIEW (AT 100M/YDS)	14.3M - 43FT AT 2X 4.2M - 12.6FT AT 7X	8.8 M - 29 FT
WEIGHT (GR/OZ)	399 GR - 14.1 OZ	360 GR - 12.6 OZ
LENGTH (MM/INCHES)	305MM - 12"	244MM - 9.6"
EYE RELIEF (MM/INCHES)	76 MM 2.9"	114 MM 4.5"
EXIT PUPIL (MM)	8 AT 2X 4 AT 7X	8
CLICK VALUE (AT 100M/YDS)	1/2 M.O.A.	1/4 M.O.A.
ADJUSTING RANGE (AT 100M/YDS)	1.6 M - 69"	1.6 M - 69"
MOUNTING LENGTH (MM/INCHES)	125 MM - 4.9"	103 MM - 4.07"

## RIFLESCOPES WITH ENGRAVED RETICLE AND MOUNTING RINGS

These riflescopes with low magnification power are ideal for .22 caliber rifles and are undoubtedly the best choice for shooting at short-medium range or for shooting at fast moving targets.



SECOND FOCAL  
PLANE




IDEAL FOR  
HUNTING




1" TUBE  
DIAMETER

KONUSFIRE • KONUSHOT



**#7350 4x32 KONUSFIRE**


30/30 RETICLE



**#7235 3x-12x40 ZOOM**

**KONUSHOT**

30/30 RETICLE



**#7351 3x-9x32 ZOOM**

**KONUSFIRE**

30/30 RETICLE

## FEATURES

- › METAL CONSTRUCTION (#7235)
- › 30/30 RETICLE
- › COATED OPTICS
- › 1/4 M.O.A. ADJUSTABLE TURRETS
- › WITH .22 DOVETAIL MOUNTING RINGS INCLUDED (#7350 AND #7351)

CODE	7350	7351	7235
MAGNIFICATION X OBJECTIVE DIAMETER	4X32	3-9X32 ZOOM	3-12X40 ZOOM
RETICLE	30/30	30/30	30/30
FIELD OF VIEW (AT 100M/YDS)	9.1 M 23.7 FT	11.2M - 36.7FT AT 3X 3.7M - 12.1FT AT 9X	9.5 M - 27.4 FT AT 3X 2.4 M - 6.9 FT AT 12X
WEIGHT (GR/OZ)	320 GR - 11.2 OZ	360 GR - 12.6 OZ	391 GR - 13.7 OZ
LENGTH (MM/INCHES)	253MM - 9.96"	305MM - 12"	335MM - 13.1"
EYE RELIEF (MM/INCHES)	76 MM 2.9"	76 MM 2.9"	76 MM 2.9"
EXIT PUPIL (MM)	8	10.6 AT 3X 3.5 AT 9X	13.3 AT 3X 3.3 AT 12X
CLICK VALUE (AT 100M/YDS)	1/4 M.O.A	1/4 M.O.A.	1/4 M.O.A
ADJUSTING RANGE (AT 100M/YDS)	1.75 M 70"	2 M 78.7"	1.59M 62"
MOUNTING LENGTH	115 MM - 4.52"	128 MM - 5.03"	465 MM - 18.3"

## PRACTICAL AND AFFORDABLE RIFLESCOPES

The Konushot and Konusfire riflescopes are designed as a great choice for shooters who are looking for an inexpensive yet dependable instrument, as well as they are supremely suited as "first scopes" for every beginner sportsman.

# STEEL RINGS



**#7400 Ø1" - 25.4MM**  
**#7403 Ø30MM**

PAIR OF STEEL MOUNTING RINGS FOR RIFLESCOPES

- › HIGH PROFILE
- › DURABLE STEEL CONSTRUCTION
- › HEAVY DUTY TORX SCREWS
- › SQUARE RECOIL LUG



**#7401 Ø1" - 25.4MM**  
**#7404 Ø30MM**

PAIR OF STEEL MOUNTING RINGS FOR RIFLESCOPES

- › MEDIUM PROFILE
- › DURABLE STEEL CONSTRUCTION
- › HEAVY DUTY TORX SCREWS
- › SQUARE RECOIL LUG



**#7402 Ø1" - 25.4MM**  
**#7405 Ø30MM**

PAIR OF STEEL MOUNTING RINGS FOR RIFLESCOPES

- › LOW PROFILE
- › DURABLE STEEL CONSTRUCTION
- › HEAVY DUTY TORX SCREWS
- › SQUARE RECOIL LUG

CODE	7400	7401	7402	7403	7404	7405
DIAMETER	25,4 MM (1")	25,4 MM (1")	25,4 MM (1")	30 MM	30 MM	30 MM
PROFILE (SADDLE HEIGHT)	HIGH (27.1 MM)	MEDIUM (21.3 MM)	LOW (17.1 MM)	HIGH (29.4 MM)	MEDIUM (23.6 MM)	LOW (19.4 MM)
NUMBER OF SCREWS	4	4	4	4	4	4
WEIGHT GR/OZ	175.7 GR 6.2 OZ	146.8 GR 5.18 OZ	124.7 GR 4.4 OZ	181.7 GR 6.41 OZ	152.8 GR 5.39 OZ	139.7 GR 4.93 OZ
RECOMMENDED RIFLESCOPE Ø	UP TO 52 MM	UP TO 40 MM	UP TO 32 MM	UP TO 56 MM	UP TO 44 MM	UP TO 32 MM

## FOR PICATINNY AND WEAVER RAILS

A complete assortment of high quality steel mounting rings for riflescopes. Suitable for Weaver/Picatinny rails, they are available in both 30mm or 1" diameter.



# STEEL RINGS



## #7406 Ø1" - 25.4MM

### #7409 Ø30MM

QUICK RELEASE STEEL MOUNTING RINGS  
FOR RIFLESCOPES

- › HIGH PROFILE
- › DURABLE STEEL CONSTRUCTION
- › HEAVY DUTY TORX SCREWS
- › SQUARE RECOIL LUG
- › QUICK RELEASE LEVER SYSTEM

## #7407 Ø1" - 25.4MM

### #7410 Ø30MM

QUICK RELEASE STEEL MOUNTING RINGS  
FOR RIFLESCOPES

- › MEDIUM PROFILE
- › DURABLE STEEL CONSTRUCTION
- › HEAVY DUTY TORX SCREWS
- › SQUARE RECOIL LUG
- › QUICK RELEASE LEVER SYSTEM

## #7408 Ø1" - 25.4MM

### #7411 Ø30MM

QUICK RELEASE STEEL MOUNTING RINGS  
FOR RIFLESCOPES

- › LOW PROFILE
- › DURABLE STEEL CONSTRUCTION
- › HEAVY DUTY TORX SCREWS
- › SQUARE RECOIL LUG
- › QUICK RELEASE LEVER SYSTEM

CODE	7406	7407	7408	7409	7410	7411
DIAMETER	25,4 MM (1")	25,4 MM (1")	25,4 MM (1")	30 MM	30 MM	30 MM
PROFILE (SADDLE HEIGHT)	HIGH (27.0 MM)	MEDIUM (21.2 MM)	LOW (17.0 MM)	HIGH (30 MM)	MEDIUM (23.5 MM)	LOW (19.3 MM)
NUMBER OF SCREWS	4	4	4	4	4	4
WEIGHT GR/OZ	189.9 GR 6.7 OZ	157.9 GR 5.57 OZ	135.7 GR 4.79 OZ	194.7 GR 6.87 OZ	174.9 GR 6.17 OZ	162.7 GR 5.74 OZ
RECOMMENDED RIFLESCOPE Ø	UP TO 52 MM	UP TO 40 MM	UP TO 32 MM	UP TO 56 MM	UP TO 44 MM	UP TO 32 MM

## FOR PICATINNY AND WEAVER RAILS WITH QUICK RELEASE FUNCTION

A complete assortment of high quality steel mounting rings for riflescopes. With a special quick release system. Suitable for Weaver/Picatinny rails, they are available in both 30mm or 1" diameter.

# STEEL RINGS



## #7415 Ø1" - 25.4MM

### #7418 Ø30MM

QUICK RELEASE STEEL MOUNTING RINGS FOR RIFLESCOPES

- › HIGH PROFILE
- › DURABLE STEEL CONSTRUCTION
- › HEAVY DUTY TORX SCREWS
- › SQUARE RECOIL LUG

## #7416 Ø1" - 25.4MM

### #7419 Ø30MM

QUICK RELEASE STEEL MOUNTING RINGS FOR RIFLESCOPES

- › MEDIUM PROFILE
- › DURABLE STEEL CONSTRUCTION
- › HEAVY DUTY TORX SCREWS
- › SQUARE RECOIL LUG

## #7417 Ø1" - 25.4MM

### #7420 Ø30MM

QUICK RELEASE STEEL MOUNTING RINGS FOR RIFLESCOPES

- › LOW PROFILE
- › DURABLE STEEL CONSTRUCTION
- › HEAVY DUTY TORX SCREWS
- › SQUARE RECOIL LUG

CODE	7415	7416	7417	7418	7419	7420
DIAMETER	25,4 MM (1")	25,4 MM (1")	25,4 MM (1")	30 MM	30 MM	30 MM
PROFILE (SADDLE HEIGHT)	HIGH (25.45MM)	MEDIUM (22.05MM)	LOW (19.45MM)	HIGH (27.75MM)	MEDIUM (24.75MM)	LOW (21.75MM)
NUMBER OF SCREWS	4	4	4	4	4	4
WEIGHT GR/OZ	130 GR 4.58 OZ	101.1 GR 3.56 OZ	79 GR 2.78 OZ	162.9 GR 5.72 OZ	134 GR 4.72 OZ	120.9 GR 42.6 OZ
RECOMMENDED RIFLESCOPE Ø	UP TO 52 MM	UP TO 40 MM	UP TO 32 MM	UP TO 56 MM	UP TO 44 MM	UP TO 32 MM


## FOR .22 RAILS AND AIRGUNS

A complete assortment of high quality steel mounting rings for riflescopes. Suitable for .22 rails and Airguns, they are available in both 30mm or 1" diameter.

# CANTILEVER MOUNT



#7219



## FEATURES

- › ADJUSTABLE LENGTH
- › ADJUSTABLE HEIGHT
- › SUITABLE FOR WEAVER/PICATINNY RAILS
- › INTEGRATED RAIL SYSTEM FOR ACCESSORIES
- › ADD OR REMOVE THE INTERNAL RINGS IN ORDER TO SWITCH FROM 1" TO 30MM DIAMETER
- › ALLEN KEY INCLUDED

## THE MOST ADVANCED MOUNTING SYSTEM IN THE INDUSTRY

A truly universal mount that is fully adjustable in both length and height. It will fit any Weaver and Picatinny rail and it will also allow for the placement of additional accessories on its top. As an extra bonus, it can accommodate both 1" or 30mm riflescopes by adding or removing the internal rings it comes complete with.

# MOUNTING ACCESSORIES



**#7218**  
DUAL-T  
PAIR OF MOUNTING RINGS



**#7237**  
UNIVERSAL MODE  
Ø25.4-30MM DUAL USE

## FEATURES

### #7218

- › ADD OR REMOVE THE INTERNAL RINGS IN ORDER TO SWITCH FROM 1" TO 30MM DIAMETER
- › LOCKING BASE SUITABLE FOR WEAVER AND PICATINNY RAIL
- › IDEAL FOR VERY COMPACT RIFLESCOPES

### #7237

- › ADD OR REMOVE THE INTERNAL RINGS IN ORDER TO SWITCH FROM 1" TO 30MM DIAMETER
- › DUAL REVERSIBLE BASE FOR .22 CALIBER AND WEAVER/PICATINNY RAIL
- › ALL MODELS WITH RECOIL-STOP
- › INTERNAL ANTI-SCRATCH PADDING
- › STRONG ANODISED ALUMINUM

CODE	7218	7237
RING HEIGHT	22.1MM 0.87"	25.5MM 1"
SUITABLE FOR	30MM AND 1" RIFLESCOPES	30MM AND 1" RIFLESCOPES
TOTAL HEIGHT	52MM 2"	57MM 2.24"
LENGTH	45MM 1.7"	25.4MM 1"

## UNIVERSAL MOUNTS FOR RIFLESCOPES

These mounting rings for Weaver and Picatinny rails are made from aircraft aluminum and are supremely versatile, because they are able to accommodate both the 30mm or 1" scopes by adding or removing the internal rings they come complete with. The #7237 has a dual reversible base that will fit the .22 rail as well.





**#7376 R8 1x40**  
RED/GREEN DOT SIGHT WITH 8  
INTERCHANGEABLE RETICLES

**#7378 1x35**  
RED/GREEN DOT SIGHT WITH 4  
INTERCHANGEABLE RETICLES

## FEATURES

### #7376

- › 8 INTERCHANGEABLE RETICLES
- › ILLUMINATION IN RED OR GREEN
- › M.O.A. DOT SIZE FROM 2 TO 5 ACCORDING TO THE RETICLE
- › DUAL MOUNT SUITABLE FOR 7/8" AND 3/8" RAIL
- › WORKS WITH RECHARGEABLE BATTERY AND/OR CR2032 BATTERY

### #7278


- › 4 INTERCHANGEABLE RETICLES
- › ILLUMINATION IN RED OR GREEN
- › DUAL MOUNT, SUITABLE FOR 7/8" AND 3/8" RAIL
- › TACTICAL TURRETS
- › INTEGRATED RAIL SYSTEM
- › WATER RESISTANT

CODE	7376	7378
MODEL	SIGHT PRO R8	KONUSIGHT
DIAMETER	39X27 MM 1.5"X1.06"	35MM
LENGTH MM/INCHES	108 MM 4.3"	104.9MM 4.13"
WEIGHT GR/OZ	245 GR 8.6 OZ	348 GR 12.2 OZ
DOT SIZE	2 M.O.A. 5 M.O.A.	4 M.O.A.


## TECHNOLOGICALLY ADVANCED RED DOTS

Ideal for both standard weapons and assault rifles, these Red Dots are among the most professional units of their entire category. Both models come with an array of reticles that will accommodate the needs of every shooter out there. They also include an additional mounting piece for switching from 7/8" rails to 3/8" rails.

# SIGHT PRO



**#7245 FISSION 2.0**  
RED DOT WITH 5 INTENSITIES



**#7203 PTS2 3x30**  
RED/BLUE  
ILLUMINATION

## FEATURES

### #7245

- › WIDE FIELD OF VIEW
- › MINIMAL SIZE AND WEIGHT
- › 4 M.O.A. DOT SIZE
- › DUAL MOUNT SUITABLE FOR 7/8" AND 3/8" rail

### #7203


- › 3X POWER MAGNIFICATION
- › FULLY MULTI-COATED LENSES
- › 1/3 M.O.A. ADJUSTMENT TURRETS
- › INTEGRATED TRI-RAIL SYSTEM
- › RED/BLUE ILLUMINATION
- › MOUNT SUITABLE FOR WEAVER/PICATINNY RAILS
- › NITROGEN PURGED, WATERPROOF, FOGPROOF, SHOCKPROOF
- › FLIP-UP LENS COVERS

CODE	7245	7203
MODEL	SIGHT PRO FISSION 2.0	SIGHT PRO PTS2
DIAMETER	17X23 MM 0.66"X0.9"	30MM
LENGTH MM/INCHES	43 MM 1.6"	146 MM 5.74"
WEIGHT GR/OZ	50 GR 1.7 OZ	480 GR 16.9 OZ
DOT SIZE	4 M.O.A	2.8 M.O.A.

## TECHNOLOGICALLY ADVANCED RED DOTS

The # 7245 is extremely compact and lightweight and is therefore an ideal fit for pistols, archery equipment, shotguns and traditional rifles as well.


The # 7203 is a supremely rugged and reliable unit that is tailor-made for the tactical industry: for additional versatility, it also features an integrated tri-rail system that will allow for the placement of flashlights or other accessories.



**#7215 NUCLEAR-QR 1x22**  
RED/GREEN DOT WITH  
8 INTENSITIES



**#7217 NUCLEAR 1x22**  
RED/GREEN DOT WITH  
8 INTENSITIES



## FEATURES

### #7215

- › DUAL MOUNTING SYSTEM: HIGH (WITH QUICK RELEASE) AND LOW
- › EYE RELIEF: UNLIMITED
- › SHOCKPROOF/WATER RESISTANT
- › LOW MOUNT IS SUITABLE FOR WEAVER/PICATINNY RAILS
- › HIGH MOUNT IS SUITABLE FOR PICATINNY RAILS

### #7217

- › DUAL MOUNTING SYSTEM: HIGH AND LOW
- › EYE RELIEF: UNLIMITED
- › SHOCKPROOF/NITROGEN FILLED/WATERPROOF/FOGPROOF
- › SUITABLE FOR WEAVER/PICATINNY RAILS

CODE	7215	7217
MODEL	NUCLEAR-QR	NUCLEAR
DIAMETER	22MM 0.86"	22MM 0.86"
LENGTH MM/INCHES	70MM 2.75"	70MM 2.75"
WEIGHT GR/OZ	140 GR 4.9OZ	140 GR 4.9OZ
DOT SIZE	3 M.O.A	3 M.O.A.

## TECHNOLOGICALLY ADVANCED RED DOTS

Our comprehensive assortment of Red Dots features many invaluable options for the highly demanding tactical field. Among these models, the # 7215 (with Quick-Release) and the # 7217 are uniquely versatile because they come with a dual mounting system and with a special riser that allows for a much higher placement if needed.

# TV SHOWS & SPECIAL PARTNERSHIPS

---



**SHOOT  
STRAIGHT**  
WITH CHAD SCHEARER

## SHOOT STRAIGHT

THE "SHOOT STRAIGHT" TV SHOW WITH CHAD SCHEARER CAN BE SEEN ON PURSUIT NETWORK

## OUR PARTNERS IN THE INDUSTRY

In 2023, Konus will sponsor one of the most acclaimed Hunting Shows on TV networks, satellite and cable. Konus is also teaming up with some of the best manufacturers of firearms in the industry, including CVA which is a true leader in the muzzleloading category.



## CVA

KONUS IS ENTERING ITS 13<sup>TH</sup> YEAR OF PARTNERSHIP WITH CVA, ONE OF THE MAJOR MAKERS OF RIFLES IN THE UNITED STATES AND A TRUE LEADER IN THE MUZZLELOADING INDUSTRY. CVA HAS CHOSEN THE QUALITY AND DEPENDABILITY OF THE KONUS OPTICS FOR ALL THEIR SPECIAL GUN/SCOPES PACKAGES.







#3940 KONUSLIGHT-TL

## FEATURES

- › WATERPROOF
- › LED TYPE: CREE-XPG-2
- › POWER OUTPUT 360 LUMENS - 3W
- › BATTERY TYPE CR2 LITHIUM (INCLUDED)
- › LENGTH 2.47" - 62.7MM
- › BEZEL DIAMETER 1.55" - 39.3MM
- › BODY WIDTH 1.57" - 39.8MM
- › QUICK RELEASE MOUNT
- › SUITABLE FOR WEAVER/PICATINNY RAIL
- › FLASHING FUNCTION

## PROFESSIONAL TACTICAL FLASHLIGHT

The Konuslight-TL is a supremely compact and lightweight tactical flashlight with a quick release mount that will fit any Weaver/Picatinny rail.



*"From hours of glassing behind a pair of binos to those crucial seconds when I settle the crosshairs just before breaking the shot, exceptional clarity tops my list of demands from the optics I choose. Konus takes a backseat to no one when it comes to edge-to-edge clarity."*

Luke Hartle • Editor-in-Chief, Gun Digest

# BINOCULARS

Konus binoculars are made with an uncompromising commitment to quality at its highest standards. Their superior components ensure the ultimate viewing experience for every demanding user. Featuring a wide assortment of models with distinctive specifications (compact, zoom, waterproof, etc.), our lines of binoculars have become the favourite choice of avid hunters, birdwatchers and outdoorsmen.



# KONUSREX



#2346 10x50 W.A.

#2347 12x50 W.A.

## FEATURES

- › PHASE CORRECTED
- › OPEN HINGE CONSTRUCTION
- › BAK-4 PRISMS
- › FULLY MULTI COATED OPTICS
- › NITROGEN FILLED
- › LARGE EYEPIECES
- › LONG EYE RELIEF
- › WATERPROOF
- › RUBBER COVERED
- › CENTRAL FOCUS
- › SILVER MIRROR COATING
- › SUPER LIGHT WEIGHT
- › EXTRA LARGE EYEPIECES

CODE	2346	2347
MODEL	KONUSREX	KONUSREX
TYPE	ROOF PRISM OPEN HINGE	ROOF PRISM OPEN HINGE
MAGNIFICATION PER Ø OBJECTIVE	10X50 W.A.	12X50 W.A.
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	101 M 303FT	86 M 258 FT
EXIT PUPIL MM	5.2 MM	4.1 MM
WEIGHT GR/OZ	650 GR 22.8 OZ	650 GR 22.8 OZ
TRIPOD ADAPTABLE	YES	YES

## THE SILVER MIRROR COATING REVOLUTION

The absolute top of the line among Konus binoculars, the Konusrex series features the incomparable resolution and brilliance of the Silver Mirror Coating treatment, thus achieving a light transmission as high as 96%. The outstanding optical performance of these binoculars is further enhanced by the fully multi-coated lenses with Phase Correction and professional BAK-4 prisms.





#2344 8x42 W.A.

#2345 10x42 W.A.

## FEATURES

- › PHASE CORRECTED
- › OPEN HINGE CONSTRUCTION
- › BAK-4 PRISMS
- › FULLY MULTI COATED OPTICS
- › NITROGEN FILLED
- › LARGE EYEPIECES
- › LONG EYE RELIEF
- › WATERPROOF
- › RUBBER COVERED
- › CENTRAL FOCUS
- › SILVER MIRROR COATING
- › SUPER LIGHT WEIGHT
- › EXTRA LARGE EYEPIECES

CODE	2344	2345
MODEL	KONUSREX	KONUSREX
TYPE	ROOF PRISM OPEN HINGE	ROOF PRISM OPEN HINGE
MAGNIFICATION PER Ø OBJECTIVE	8X42 W.A.	10X42 W.A.
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	124 M 371 FT	106 M 319 FT
EXIT PUPIL MM	5.2 MM	4.2 MM
WEIGHT GR/OZ	550 GR 19.4 OZ	550 GR 19.4 OZ
TRIPOD ADAPTABLE	YES	YES

## THE SILVER MIRROR COATING REVOLUTION

The absolute top of the line among Konus binoculars, the Konusrex series features the incomparable resolution and brilliance of the Silver Mirror Coating treatment, thus achieving a light transmission as high as 96%. The outstanding optical performance of these binoculars is further enhanced by the fully multi-coated lenses with Phase Correction and professional BAK-4 prisms.

# EMPEROR



#2340 12x50 W.A.



#2336 10x42 W.A.

## FEATURES

- › CLOSE FOCUS
- › PHASE CORRECTED
- › BAK-4 PRISMS
- › NITROGEN FILLED
- › SUPER WIDE ANGLE
- › EXTRA LARGE EYEPIECES
- › LONG EYE RELIEF
- › RUBBER COVERED

CODE	2340	2336
MODEL	EMPEROR	EMPEROR
TYPE	ROOF PRISMS	ROOF PRISMS
MAGNIFICATION PER Ø OBJECTIVE	12X50 W.A.	10X42 W.A.
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	80 M 262 FT	98 M 314.9 FT
EXIT PUPIL MM	4.1 MM	4.1 MM
WEIGHT GR/OZ	900 GR 31.7 OZ	760 GR 6.8 OZ
TRIPOD ADAPTABLE	YES	YES

## HIGH END BINOCULARS WITH PHASE CORRECTION

Widely considered some of the best binoculars in the industry, our Emperor models have generated unprecedented enthusiasm among the most demanding users. Never before a model with Phase Corrected optics has been so affordable, thus delivering the most outstanding combination of performance and value.



## MISSION-HD



#2270 8x42 W.A.

#2271 10x42 W.A.

### FEATURES

- › HD OPTICAL SYSTEM
- › BAK-4 PRISMS
- › WIDE ANGLE
- › MULTI-COATED OPTICS
- › LARGE EYEPIECES WITH SPECIAL EYECUPS
- › LONG EYE RELIEF
- › OPEN HINGE CONSTRUCTION
- › FOGPROOF

CODE	2270	2271
MODEL	MISSION-HD	MISSION-HD
TYPE	ROOF PRISM OPEN HINGE	ROOF PRISM OPEN HINGE
MAGNIFICATION PER Ø OBJECTIVE	8X42 W.A.	10X42 W.A.
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	105 M 315 FT	98 M 294 FT
EXIT PUPIL MM	4.2 MM	3.8 MM
WEIGHT GR/OZ	602 GR 21.2 OZ	602 GR 21.2 OZ
TRIPOD ADAPTABLE	YES	YES

### THE HD PERFORMANCE

These binoculars have been developed with a High-Definition optical system that provides a significant advantage in terms of brightness and sharpness of the image, while also enhancing the light transmission in less than favorable conditions. They are built with professional BAK-4 prisms and they also come with a removable set of larger eyecups for more effective and more comfortable observations.

# TITANIUM OPEN HINGE



#2327 8x42 W.A.

#2328 10x42 W.A.

## FEATURES

- › LONG EYE RELIEF
- › BAK-4 PRISMS
- › MULTI COATED OPTICS
- › FOGPROOF
- › RUBBER COVERED
- › OPEN HINGE CONSTRUCTION
- › LARGE EYEPIECES

CODE	2327	2328
MODEL	TITANIUM OH	TITANIUM OH
TYPE	ROOF PRISM OPEN HINGE	ROOF PRISM OPEN HINGE
MAGNIFICATION PER Ø OBJECTIVE	8X42 W.A.	10X42 W.A.
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	122 M 366 FT	98 M 294 FT
EXIT PUPIL MM	4.6 MM	3.7 MM
WEIGHT GR/OZ	450 GR 15.8 OZ	450 GR 15.8 OZ
TRIPOD ADAPTABLE	NO	NO

## HIGH END BINOCULARS WITH SUPER LIGHT BODY

Highly touted by the most demanding customers due to their spectacular optical quality, the Titanium binoculars are now better looking than ever. Our newest 8x42 and 10x42 models feature a modern and sleek open hinge design that enhances their appearance while maximizing their portability.





# ALPINI BINOCULARS



#2651 10x42



#2650 10x25

## FEATURES

- › 10 MAGNIFICATIONS
- › CENTRAL FOCUS
- › MULTI-COATED OPTICS
- › RUBBER COVERED
- › TRIPOD ATTACHMENT (#2651)
- › BAK-4 PRISMS (#2651)
- › CASE INCLUDED
- › NECK STRAP INCLUDED (#2651)

CODE	2651	2650
MODEL	ALPINI BINOCULARS	ALPINI BINOCULARS
TYPE	ROOF PRISMS	ROOF PRISMS
MAGNIFICATION PER Ø OBJECTIVE	10X42	10X25
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	87 M 285.4 FT	96 M 314 FT
EXIT PUPIL MM	5.1 MM	4.2 MM
WEIGHT GR/OZ	743 GR 26.2 OZ	260 GR 9.17 OZ
TRIPOD ADAPTABLE	YES	NO

## CELEBRATING 151 YEARS OF HISTORY

Since its foundation in 1872, the "Alpini" Mountain Infantry has always been the most decorated corp of the Italian Army. Konus is paying homage to its great military tradition and historic significance by releasing two binocular models (a 10x42 and a 10x25) that are especially suitable for mountaineering, hiking and trekking purposes.



#2606 8x42

#2607 12x42

## FEATURES

- › BAK-4 PRISMS
- › MULTI-COATED OPTICS
- › CENTRAL FOCUS
- › RUBBER COVERED
- › TRIPOD ATTACHMENT
- › CASE AND STRAP INCLUDED

CODE	2606	2607
MODEL	WOODLAND	WOODLAND
TYPE	ROOF PRISMS	ROOF PRISMS
MAGNIFICATION PER Ø OBJECTIVE	8X42	10X42
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	96 M 314.9 FT	87 M 285.4 FT
EXIT PUPIL MM	4.2 MM	5.1 MM
WEIGHT GR/OZ	550 GR 19.4 OZ	753 GR 26.5 OZ
TRIPOD ADAPTABLE	YES	YES

## PRACTICAL AND AFFORDABLE ROOF PRISM BINOCULARS

Offered at an extraordinary price, these brand new binoculars bring to the table a remarkable optical quality as well. Available in the classical 8x42 and 10x42 configurations, they come with professional BAK-4 prisms and multi-coating treatment.



## BASIC-PLUS



#2006 10x42

### FEATURES

- › FULLY-COATED OPTICS
- › CENTRAL FOCUS
- › RUBBER COVERED
- › TRIPOD ATTACHMENT
- › CASE AND STRAP INCLUDED

CODE	2006
MODEL	BASIC-PLUS
TYPE	ROOF PRISM
MAGNIFICATION PER Ø OBJECTIVE	10X42
FOCUSING	CENTRAL
FIELD OF VIEW AT 1000M/YDS	87 M 285.4 FT
EXIT PUPIL MM	5.1 MM
WEIGHT GR/OZ	484 G 17.07 OZ
TRIPOD ADAPTABLE	YES

### ROOF PRISM BINOCULAR AT A PRICE THAT CAN'T BE BEAT

While also featuring a noteworthy optical quality and a stylish design, this model truly stands out because of its supremely competitive price. It is therefore a tremendous value for every sportsman or nature enthusiast on a budget.



#2171 7x50 C.F.



#2170 8x42 W.A.

#2172 10x50 W.A.

## FEATURES

- › BAK-4 PRISMS
- › CENTRAL FOCUSING
- › EXTRA LARGE EYEPieces
- › WIDE ANGLE
- › MULTICOATED OPTICS
- › RUBBER COVERED
- › FAST ROLL DOWN EYECUPS

CODE	2170	2171	2172
MODEL	KONUSARMY	KONUSARMY	KONUSARMY
TYPE	PORRO PRISMS	PORRO PRISMS	PORRO PRISMS
MAGNIFICATION PER Ø OBJECTIVE	8X42 W.A.	7X50 C.F.	10X50 W.A.
FOCUSING	CENTRAL	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	140 M 459 FT	110 M 361 FT	112 M 367 FT
EXIT PUPIL MM	4.5 MM	6.7 MM	4.7 MM
WEIGHT GR/OZ	845 GR 29.8 OZ	970 GR 34.2 OZ	970 GR 34.2 OZ
TRIPOD ADAPTABLE	YES	YES	YES

## CLASSICAL BINOCULARS WITH MILITARY DESIGN

This brand new product stands out as a true military binocular in both its classical design and its remarkable specifications, which make it an ideal choice for every sportsman and professional that is looking for rugged and highly performing equipment that will never let him down.





#2101 8x40 W.A.



#2102 7x50 C.F.

#2103 10x50 W.A.

## FEATURES

- › COATED OPTICS
- › WIDE ANGLE (#2101 AND #2103)
- › RUBBER COVERED
- › CENTRAL FOCUS
- › COMPETITIVELY PRICED
- › LIGHTWEIGHT BODY

CODE	2101	2102	2103
MODEL	KONUSVUE	KONUSVUE	KONUSVUE
TYPE	PORRO PRISMS	PORRO PRISMS	PORRO PRISMS
MAGNIFICATION PER Ø OBJECTIVE	8X40 W.A.	7X50 C.F.	10X50 W.A.
FOCUSING	CENTRAL	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	143 M 476 FT	119 M 396 FT	122 M 406 FT
EXIT PUPIL MM	5 MM	7.1 MM	4 MM
WEIGHT GR/OZ	530 GR 18.6 OZ	750 GR 26 OZ	800 GR 28 OZ
TRIPOD ADAPTABLE	YES	YES	YES

## RUGGED AND DEPENDABLE BINOCULARS

Although very competitively priced, the Konusvue binoculars have a good optical quality, a strong full-metal construction and a sturdy rubber armouring for superior gripping capability even while wearing gloves.

# GIANT

## #2022

UNIVERSAL TRIPOD  
ATTACHMENT FOR  
BINOCULARS (SEE PAGE 85  
FOR TRIPODS)



#2110 20x80



#2125 20x60

## FEATURES

- › COATED OPTICS
- › WIDE DIAMETER
- › RUBBER COVERED
- › CENTRAL FOCUS
- › PROFESSIONAL TRIPOD ATTACHMENT (#2110)

CODE	2110	2125
MODEL	GIANT-80	GIANT-60
TYPE	PORRO PRISMS	PORRO PRISMS
MAGNIFICATION PER Ø OBJECTIVE	20X80	20X60
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	48 M 157 FT	38 M 124 FT
EXIT PUPIL MM	3.83 MM	3 MM
WEIGHT GR/OZ	2500 GR 88.1 OZ	1300 GR 45.8 OZ
TRIPOD ADAPTABLE	YES	YES

## HIGH POWERED BINOCULARS WITH LARGE DIAMETERS

Two giant binoculars with 20x magnification power and impressive 60mm and 80mm objectives. Built to maximize the field of view and provide an outstanding panoramic vision, they are ideal for astronomy and birdwatching. Due to their dimensions, they are quite heavy and it is therefore recommended to use them with a tripod.



#2124 10-30x60 C.F.

#2122 8-24x50 C.F.

#2120 7-21x40 C.F.

## FEATURES

- › RUBBER COVERED
- › CENTRAL FOCUS
- › COATED OPTICS
- › ZOOM POWER

CODE	2124	2122	2120
MODEL	NEWZOOM	NEWZOOM	NEWZOOM
TYPE	ZOOM	ZOOM	ZOOM
MAGNIFICATION PER Ø OBJECTIVE	10-30X60 ZOOM	8-24X50 ZOOM	7-21X40 ZOOM
FOCUSING	CENTRAL	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	78M - 234 FT AT 10X 35 M - 105 FT AT 30X	78 M - 234 FT AT 8X 40M - 131 FT AT 24X	96 M - 314 FT AT 7X 43 M - 129 FT AT 21X
EXIT PUPIL MM	6 MM AT 10X 2 MM AT 30X	6.2 MM AT 8X 2.1 MM AT 24X	5.7 MM AT 7X 1.9 MM AT 21X
WEIGHT GR/OZ	1380 GR 49.2 OZ	900 GR 31.7 OZ	800 GR 28.3 OZ
TRIPOD ADAPTABLE	YES	YES	YES

## THE INCOMPARABLE VERSATILITY OF ZOOM BINOCULARS

The Konus Newzoom line is available in 3 diameters with different power in order to match every user's needs. These binoculars also feature a strong and rugged body with rubber armour and crisp optical quality.

# SPORTY



#2255 7x50

#2256 10x50 W.A.



#2010 TRIPOD ATTACHMENT FOR  
SPORTY BINOCULARS  
(SEE PAGE 85 FOR TRIPODS)

## FEATURES

- › FOCUS FREE
- › GREEN MULTI-COATED OPTICS
- › WIDE ANGLE (#2256)
- › RUBBER COVERED
- › IDEAL FOR LOOKING AT FAST MOVING OBJECTS

CODE	2255	2256
MODEL	SPORTY	SPORTY
TYPE	PORRO PRISMS	PORRO PRISMS
MAGNIFICATION PER Ø OBJECTIVE	7X50	10X50 W.A.
FOCUSING	FOCUS FREE	FOCUS FREE
FIELD OF VIEW AT 1000M/YDS	122 M 366 FT	96 M 288 FT
EXIT PUPIL MM	7.1 MM	5 MM
WEIGHT GR/OZ	800 GR 28.2 OZ	770 GR 27 OZ
TRIPOD ADAPTABLE	YES	YES

## FOCUS FREE BINOCULARS FOR FAST MOVING TARGETS

The Sporty binoculars stand out because of their competitive price and because of their special focus free construction that enables them to automatically focus on every target from a set distance on without any manual adjustment.



# ABYSS - TORNADO



#2301 ABYSS 7x50 C.F.



#2325 TORNADO 7x50 I.F.

## FEATURES

- › WATERPROOF/FOGPROOF
- › NITROGEN FILLED
- › BAK-4 PRISMS
- › SPECIAL COATED OPTICS
- › RUBBER COVERED
- › BUILT-IN COMPASS AND ILLUMINATED RETICLE (#2325)
- › FLOATING BODY (#2325)
- › DARK GREEN COATING ON EYEPIECES AND OBJECTIVES (#2301)
- › ENLARGED EYEPIECES (#2301)
- › ROLL-DOWN EYECUPS (#2301)

CODE	2301	2325
MODEL	ABYSS	TORNADO
TYPE	WATERPROOF	WATERPROOF WITH COMPASS
MAGNIFICATION PER Ø OBJECTIVE	7X50	7X50
FOCUSING	CENTRAL	INDIVIDUAL
FIELD OF VIEW AT 1000M/YDS	112 M 367 FT	132 M 433 FT
EXIT PUPIL MM	7.1 MM	6.8 MM
WEIGHT GR/OZ	950 GR 33.5 OZ	890 GR 31 OZ
TRIPOD ADAPTABLE	YES	YES

## WATERPROOF BINOCULARS FOR NAUTICAL AND BOATING PURPOSES

The Konus nautical binoculars deliver a great performance in every marine and boating environment thanks to their waterproof and nitrogen purged construction, coupled with special coated lenses that help cut glare over water or snow.

# SUPREME-2



#2363 8x26 W.A.

#2364 10x26 W.A.

## FEATURES

- › CENTRAL FOCUS
- › FULLY MULTI-COATED OPTICS
- › ERGONOMIC DESIGN
- › WIDE ANGLE
- › RUBBER COVERED
- › WATERPROOF
- › BAK-4 PRISMS
- › OPEN HINGE CONSTRUCTION

CODE	2363	2364
MODEL	SUPREME- 2	SUPREME- 2
TYPE	COMPACT WATERPROOF	COMPACT WATERPROOF
MAGNIFICATION PER Ø OBJECTIVE	8X26 W.A.	10X26 W.A.
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	123 M 403 FT	103 M 337 FT
EXIT PUPIL MM	3.25 MM	2.6 MM
WEIGHT GR/OZ	305 GR 10.7 OZ	325 GR 11.4 OZ
TRIPOD ADAPTABLE	NO	NO

## WATERPROOF COMPACT BINOCULARS

Waterproof and nitrogen purged, these binoculars will perform flawlessly even in the most challenging weather conditions. The # 2363 and # 2364 are high end models with BAK-4 prisms, fully multi-coated optics, extra wide eyepieces and long eye relief.

# VIVISPORT 25 - PATROL



#2306 VIVISPORT-25 10x25



#2365 PATROL 8x26

#2366 PATROL 10x26

## FEATURES

- › WATERPROOF
- › 25MM OBJECTIVE DIAMETER (#2306)
- › 26MM OBJECTIVE DIAMETER (#2365-66)
- › MULTICOATED LENSES
- › CENTRAL FOCUS
- › RUBBER COVERED
- › CASE AND STRAP INCLUDED
- › BAK-4 PRISMS (#2365-66)
- › OPEN HINGE CONSTRUCTION (#2365-66)

CODE	2306	2365	2366
MODEL	VIVISPORT-25	PATROL	PATROL
TYPE	COMPACT WATERPROOF	COMPACT WATERPROOF	COMPACT WATERPROOF
MAGNIFICATION PER Ø OBJECTIVE	10X25	8X26	10X26
FOCUSING	CENTRAL	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	100.8 M 331 FT	122.8 M 403 FT	102.7 M 337 FT
EXIT PUPIL MM	2.5 MM	3.25 MM	2.6 MM
WEIGHT GR/OZ	317.5 GR 11.2 OZ	448 GR 15.8 OZ	468 GR 16.5 OZ
TRIPOD ADAPTABLE	NO	NO	NO

## COMPACT WATERPROOF BINOCULARS AT AN UNBEATABLE PRICE

The # 2306 is in class by itself, because never before has a compact binocular been so affordable. And its appearance is top notch as well, by virtue of its unique and captivating design.

The # 2365 and # 2366 are competitively priced and are also especially notable for their open hinge construction, to go along with outstanding optical quality, multi-coated treatment and professional BAK-4 prisms.

# VIVISPORT - ZOOMY-25



#2040 VIVISPORT-2 16x32



#2059 ZOOMY-25 8-17x25

## FEATURES

- › CENTRAL FOCUS
- › SPECIAL COATING
- › RUBBER COVERED (#2040)
- › ERGONOMIC DESIGN
- › 16X MAGNIFICATION (#2040)
- › ZOOM SYSTEM (#2059)
- › PVC BODY (#2059)

CODE	2040	2059
MODEL	VIVISPORT 2	ZOOMY-25
TYPE	COMPACT	COMPACT ZOOM
MAGNIFICATION PER Ø OBJECTIVE	16X32	8-17X25
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	82 M 366 FT	80 M/262 FT AT 8X 46 M/150 FT AT 17X
EXIT PUPIL MM	2.6 MM	3 MM AT 8X 2 MM AT 17X
WEIGHT GR/OZ	250 GR 8.8 OZ	300 GR 10.5 OZ
TRIPOD ADAPTABLE	NO	NO

## COMPACT SIZE BINOCULARS COMBINING POWER AND PORTABILITY

Featuring a modern and stylish design, the #2040 and #2059 binoculars pack a tremendous power into an extremely compact body.





#2019 8x21

#2020 10x25

## FEATURES

- › CENTRAL FOCUS
- › GREEN COATED OPTICS
- › RUBBER COVERED

CODE	2019	2020
MODEL	NEXT-2	NEXT-2
TYPE	COMPACT	COMPACT
MAGNIFICATION PER Ø OBJECTIVE	8X21	10X25
FOCUSING	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	124 M 406.8 FT	101 M 331.3 FT
EXIT PUPIL MM	2.6 MM	2.5 MM
WEIGHT GR/OZ	250 GR 8.81 OZ	260 GR 9.17 OZ
TRIPOD ADAPTABLE	NO	NO

## COMPACT BINOCULARS WITH EXCLUSIVE DESIGN

These instruments give you the possibility to carry the power of observation anywhere. Their reduced dimensions, the optical quality and the special rubber covering make them indispensable items for travelling, trekking, following sport events and so on.

# ACTION - EXPLO



#2041 ACTION 10x25 F.F.



#2023 EXPLO 8x21 C.F.

#2024 EXPLO 10x25 C.F.



## FEATURES

- › FIXED FOCUS (#2041)
- › RUBY COATED OPTICS
- › RUBBER COVERED
- › CENTRAL FOCUS (#2023 AND #2024)
- › SPECIAL PACKAGING (#2023 AND #2024)

CODE	2041	2023	2024
MODEL	ACTION	EXPLO	EXPLO
TYPE	COMPACT	COMPACT	COMPACT
MAGNIFICATION PER Ø OBJECTIVE	10X25	8X21	10X25
FOCUSING	FIXED FOCUS	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	80 M 240 FT	126 M 378 FT	100 M 300 FT
EXIT PUPIL MM	2.1 MM	2.6 MM	2.5 MM
WEIGHT GR/OZ	170 GR 5.9 OZ	150 GR 5.3 OZ	200 GR 6.9 OZ
TRIPOD ADAPTABLE	NO	NO	NO

## EYE-CATCHING COMPACT BINOCULARS

The #2023 and #2024 binoculars have been developed with an highly captivating and original packaging which will definitely stand out. The product will therefore draw the attention of every potential buyer, while also being protected from shoplifters.

The #2041 binoculars feature a terrific appearance and have been built with a special focus-free optical system that is ideal for observing fast moving objects.



#2007 8x21 C.F.



#2008 10x25

#2009 12x32

## FEATURES

- › PACKED IN GIFTBOX
- › RUBY COATED OPTICS
- › RUBBER COVERED
- › CENTRAL FOCUS

CODE	2007	2008	2009
MODEL	BASIC	BASIC	BASIC
TYPE	COMPACT	COMPACT	COMPACT
MAGNIFICATION PER Ø OBJECTIVE	8X21	10X25	12X32
FOCUSING	CENTRAL	CENTRAL	CENTRAL
FIELD OF VIEW AT 1000M/YDS	122 M 366 FT	96 M 288 FT	90 M 270 FT
EXIT PUPIL MM	2.7 MM	2.5 MM	2.5 MM
WEIGHT GR/OZ	230 GR 8.1 OZ	232 GR 8.1 OZ	250 GR 8.8 OZ
TRIPOD ADAPTABLE	NO	NO	NO

## THE ESSENTIAL COMPACT BINOCULARS

Regardless of the category you are into, it is always important to count on a line of products that enables you to compete also at the lowest price level. These binoculars will serve you well for such a purpose, while still featuring a more than satisfactory quality, a great looking packing and some nice cosmetic touches like the silver metal body and the ruby coated lenses.



*"The Konus 100mm spotting scope is, quite frankly, one of the better units on today's market and it is very hard to believe that you can buy this kind of quality at such a low price. The optical clarity and brightness are just exceptional. When we tested it, the overall score was a truly excellent 9.60 out of 10."*

USHuntGear, Best Rated Hunting And Scouting Optics.



# SPOTTING SCOPES

Widely considered to be in a class by themselves, Konus spotting scopes are built to exceed even the highest expectations in terms of performance and value.

Their superior optical quality and their distinctive features are currently unparalleled in the industry, thus making these fine instruments the favourite choice of avid hunters, birdwatchers and outdoorsmen.



# KONUSPOT-100



SMARTPHONE  
ADAPTER INCLUDED

#7127 20-60x100 ZOOM

## FEATURES

- › TRIPOD NOT INCLUDED
- › CAMERA ADAPTER INCLUDED
- › SMARTPHONE ADAPTER INCLUDED
- › PROTECTIVE PROFESSIONAL CASE INCLUDED
- › MULTI-COATED OPTICS

CODE	7127
MODEL	KONUSPOT-100
MAGNIFICATION	20-60X ZOOM
Ø OBJECTIVE	100 MM
FIELD OF VIEW AT 1000M/YDS	29 M - 88 FT AT 20X 15 M - 44 FT AT 60X
EXIT PUPIL MM	5 MM AT 20X 1.67 MM AT 60X
WEIGHT GR/OZ	2097 GR 74 OZ
LENGTH MM/INCHES	498 MM 19.6"

## SPOTTING SCOPES WITH UNCOMPROMISING QUALITY

Our acclaimed series of spotting scopes has been completely re-designed in order to amaze even the most demanding users. With oversized objective lenses and zoom eyepieces, these superb instruments are built to maximize the viewing experience under any light condition. And they are now richer than ever, since they also include a special adapter for Smartphones that makes them even more versatile.

# KONUSPOT-80



PROTECTIVE  
PROFESSIONAL CASE  
INCLUDED



SMARTPHONE  
ADAPTER INCLUDED



TABLE TRIPOD INCLUDED

**#7126 20-60x80 ZOOM**

## FEATURES

- › MULTI COATED OPTICS
- › TABLE TRIPOD INCLUDED
- › SMARTPHONE ADAPTER INCLUDED
- › CAMERA ADAPTER INCLUDED
- › PROTECTIVE PROFESSIONAL CASE INCLUDED

CODE	7126
MODEL	KONUSPOT-80
MAGNIFICATION	20-60X ZOOM
Ø OBJECTIVE	80 MM
FIELD OF VIEW AT 1000M/YDS	26 M - 79 FT AT 20X 14 M - 41 FT AT 60X
EXIT PUPIL MM	2.9 MM AT 20X 1.2 MM AT 60X
WEIGHT GR/OZ	1400 GR 49.3 OZ
LENGTH MM/INCHES	447 MM 17.6"

## EQUIPPED WITH EXCLUSIVE SMARTPHONE ADAPTER

On top of its unparalleled optical performance the #7126 spotting scope also brings to the table a remarkably attractive design and plenty of invaluable accessories. In fact this model comes with a table tripod and a protective carrying case, to go along with an exclusive adapter for smartphones that will set it apart from the competition.

# KONUSPOT-65



PROTECTIVE  
PROFESSIONAL CASE  
INCLUDED



SMARTPHONE  
ADAPTER INCLUDED



TABLE TRIPOD INCLUDED

**#7128 15-45x65 ZOOM**

## FEATURES

- › MULTI COATED OPTICS
- › TABLE TRIPOD INCLUDED
- › SMARTPHONE ADAPTER INCLUDED
- › CAMERA ADAPTER INCLUDED
- › PROTECTIVE PROFESSIONAL CASE INCLUDED

CODE	7128
MODEL	KONUSPOT-65
MAGNIFICATION	15-45X ZOOM
Ø OBJECTIVE	65 MM
FIELD OF VIEW AT 1000M/YDS	38 M - 115 FT AT15X 20 M - 59 FT AT 45X
EXIT PUPIL MM	4 MM AT 15X 1.3 MM AT 45X
WEIGHT GR/OZ	898 GR 31.7 OZ
LENGTH MM/INCHES	355.6 MM 14"

## SUPERIOR CLARITY AND BRIGHTNESS

More compact and portable than the 80mm and 100mm versions, this 65mm spotting scope is equally spectacular from an optical standpoint and it also includes the very same accessories, starting with the special adapter for Smartphones.





#7125 KONUSPOT-60C 20-60x60 ZOOM



#7124 KONUSPOT-50 15-40x50 ZOOM

## FEATURES

- › TABLE TRIPOD INCLUDED
- › COATED OPTICS
- › ZOOM POWER
- › CARRYING CASE INCLUDED

CODE	7125	7124
MODEL	KONUSPOT-60C	KONUSPOT-50
MAGNIFICATION	20-60X ZOOM	15X-40X ZOOM
Ø OBJECTIVE	60 MM	50 MM
FIELD OF VIEW AT 1000M/YDS	38M - 124.6FT AT 20X 17M - 55.77 FT AT 60X	50M - 164FT AT 15X 15M - 49FT AT 40X
EXIT PUPIL MM	13 MM AT 20X 11 MM AT 60X	3.57 MM AT 15X 1.25 MM AT 40X
WEIGHT GR/OZ	1025 GR 36.15 OZ	466 GR 16.4 OZ
LENGTH MM/INCHES	345 MM 13.5"	245 MM 9.6"

## VERSATILE AND AFFORDABLE SPOTTING SCOPES

A perfect choice for hunters, birdwatchers and nature enthusiasts with a tight budget, these spotting scopes combine fine optical quality, attractive design and a price that can't be beat.

# KONUSMALL-3



SMARTPHONE  
ADAPTER INCLUDED

**#2063 8-24x40 ZOOM**

## FEATURES

- › 8X-24X ZOOM POWER
- › 40MM OBJECTIVE DIAMETER
- › MULTI-COATED LENSES
- › DUAL FOCUS SYSTEM
- › TRIPOD ATTACHMENT
- › SMARTPHONE ADAPTER
- › CASE INCLUDED

CODE	2063
MODEL	KONUSMALL-3
MAGNIFICATION	8-24X ZOOM
Ø OBJECTIVE	40 MM
FIELD OF VIEW AT 1000M/YDS	80.4 M - 264 FT AT 8X 45.5 M -149.2 FT AT 24X
EXIT PUPIL MM	4.2 MM AT 8X 1.7 MM AT 24X
WEIGHT GR/OZ	156 GR 5.5 OZ
LENGTH MM/INCHES	155 MM 6.1"

## ZOOM MONOCULAR WITH SMARTPHONE ADAPTER

A truly revolutionary concept, the # 2063 is a high end monocular which provides the dual advantage of a tremendous power and a very reduced size. It comes with a 8x-24x zoom eyepiece and with an universal Smartphone adapter that will dramatically enrich and expand every user's viewing experience.



**#2062 KONUSMALL-2 7-17x30 ZOOM**



**#2060 KONUSMALL 10x25**

## FEATURES

- › ZOOM MAGNIFICATION FROM 7X TO 17X (#2062)
- › 30MM OBJECTIVE DIAMETER (#2062)
- › MULTI-COATED OPTICS (#2062)
- › DOUBLE FOCUSING SYSTEM (#2062)
- › TRIPOD ATTACHMENT (#2062)
- › ROLL-DOWN EYECUP (#2062)
- › STRAP AND CASE INCLUDED (#2062)
- › SET 6 PIECES (#2060)
- › WITH DISPLAY BOX (#2060)
- › RUBY COATED OPTICS (#2060)
- › RUBBER COVERED (#2060)

CODE	2062	2060
MODEL	KONUSMALL-2	KONUSMALL
MAGNIFICATION	7X-17X ZOOM	10X
Ø OBJECTIVE	30 MM	25 MM
FIELD OF VIEW AT 1000M/YDS	80.5M - 264.1 FT AT 7X 45.5M - 149.2 FT AT 17X	100 M 300 FT
EXIT PUPIL MM	4.2 MM AT 7X 1.7 MM AT 17X	2.5 MM
WEIGHT GR/OZ	156 GR 5.5 OZ	60 GR 2.1 OZ
LENGTH MM/INCHES	128 MM 5.03"	113 MM 4.44"

## POWERFUL AND POCKET-SIZED

The #2062 is a new high quality monocular with 7x-17x zoom power and 30mm objective diameter. It features a very advanced dual focusing system with quick focusing and fine focusing options. The #2060 is a competitively priced and attractive unit with 10x25 size.





# NIGHT VISION SYSTEMS

Konus puts at your disposal multiple devices that will enable you to clearly see in total darkness by virtue of the most sophisticated digital technology.

These models are therefore an ideal equipment for hunting, surveillance and wildlife observations in low-light environments.





#7937 3.6x-10.8x ZOOM

## FEATURES

- › DIGITAL NIGHT VISION BINOCULAR 3.6X - 10.8X
- › BUILT-IN ILLUMINATOR FOR TOTAL DARKNESS
- › PHOTO AND VIDEO RECORDING FUNCTION
- › SUPPLIED WITH A/V CABLE, USB CABLE AND 64GB SD-CARD FOR IMAGE STORING PURPOSES
- › STRAP AND CASE INCLUDED
- › WORKS WITH 2 PCS 18650 RECHARGEABLE BATTERIES
- › IMAGE RESOLUTION 1920X1080 WITH HD ENHANCEMENT
- › TRIPOD ATTACHMENT
- › DAYLIGHT VISION FILTER
- › WORKING DISTANCE: 250M-275 YDS

CODE	7937
MODEL	KONUSPY-16
TYPE	NIGHT VISION BINOCULAR
MAGNIFICATION	3.6X - 10.8X DIGITAL ZOOM
OBJECTIVE Ø	31 MM
FIELD OF VIEW AT 1000M/YDS	38.6 M - 126.6 FT 139 M - 456 FT
MAXIMUM DISTANCE OF OBSERVATION	400 M 1312 FT
WEIGHT GR/OZ	872 GR 30.7 OZ
TRIPOD ADAPTABLE	YES

## NIGHT VISION BINOCULAR WITH HD TECHNOLOGY

Engineered with the most advanced electro-optical sensors, this model provides breath-taking images with true High-Definition brightness, contrast and resolution. This kind of visual quality is unprecedented in the Night Vision category and makes this device an ideal choice for demanding professionals that need to excel in a totally dark environment. Other remarkable features are also built-in, such as an especially generous 3.6x-10.8x zoom power and a photo/video recording function.



**#7934 3.6x-10.8x ZOOM**

## FEATURES

- › DIGITAL NIGHT VISION BINOCULAR 3.6X-10.8X
- › BUILT-IN ILLUMINATOR FOR TOTAL DARKNESS
- › PHOTO AND VIDEO RECORDING FUNCTION
- › SUPPLIED WITH A/V CABLE, USB CABLE AND 64GB
- › SD-CARD FOR IMAGE STORING PURPOSES
- › STRAP AND CASE INCLUDED
- › WORKS WITH 8PCS AA BATTERY
- › IMAGE RESOLUTION 1920X1080
- › RUBBER COVERED BODY
- › TRIPOD ATTACHMENT
- › DAYLIGHT VISION FILTER
- › POWER BANK HOLDER
- › WORKING DISTANCE: 200M-2220YDS

CODE	7934
MODEL	KONUSPY-13
TYPE	NIGHT VISION BINOCULAR
MAGNIFICATION	3.6X - 10.8X DIGITAL ZOOM
OBJECTIVE Ø	31 MM
FIELD OF VIEW AT 1000M/YDS	96 M 314.9 FT
MAXIMUM DISTANCE OF OBSERVATION	300 M 328 YDS
WEIGHT GR/OZ	700 GR 24.6 OZ
TRIPOD ADAPTABLE	YES

## NIGHT VISION BINOCULAR WITH HIGH RESOLUTION

Maximizing performance and power in both daytime and nighttime vision, this digital binocular combines a stunning 1920x1080 resolution with a 3.6x-10.8x zoom system. Its built-in illuminator will enable you to see clearly even in total darkness, while its photo/video recording function will give you the opportunity of documenting your observations.

# KONUSPY-11



#7932 3x-4.5x-6x ZOOM

## FEATURES

- › 3X- 4.5X - 6X MAGNIFICATION POWER WITH DIGITAL ZOOM
- › PHOTO AND VIDEO RECORDING FUNCTION
- › SUPPLIED WITH A/V CABLE, USB CABLE AND 8GB SD-CARD FOR IMAGE STORING PURPOSES
- › STRAP AND CASE INCLUDED
- › RUBBER COVERED BODY
- › TRIPOD ATTACHMENT
- › DAYTIME AND NIGHTTIME USE
- › DAYLIGHT VISION FILTER
- › BUILT-IN ILLUMINATOR FOR TOTAL DARKNESS
- › WORKING DISTANCE: 200 M - 220 YDS

CODE	7932
MODEL	KONUSPY-11
TYPE	DIGITAL NIGHT VISION BINOCULAR
MAGNIFICATION	3X-4.5X-6X ZOOM
OBJECTIVE Ø	32 MM
FIELD OF VIEW AT 1000M/YDS	92 M 301.8 FT
MAXIMUM DISTANCE OF OBSERVATION	200 M 218 YDS
WEIGHT GR/OZ	430 GR 15.1 OZ
TRIPOD ADAPTABLE	YES

## SUPER COMPACT NIGHT VISION BINOCULAR

The reduced dimensions (7"x5.5" or 18x13.5cm) and weight (18oz or 520 gr) of this digital Night Vision binocular are unparalleled in its entire category and make for an extremely compact and portable unit. Suitable for both daytime and nighttime use, it comes with 3x-4.5x-6x zoom power and with an internal SD card for taking pictures and recording videos.





# KONUSPY-15



#7936 1x-5x ZOOM

## FEATURES

- › DIGITAL NIGHT VISION BINOCULAR
- › 1X-5X MAGNIFICATION POWER WITH DIGITAL ZOOM
- › PHOTO AND VIDEO RECORDING FUNCTION
- › SUPPLIED WITH A/V CABLE, USB CABLE AND 8GB SD-CARD FOR IMAGE STORING PURPOSES
- › STRAP AND CASE INCLUDED
- › WORKS WITH 2 PCS 18650 BATTERY
- › IMAGE RESOLUTION 1920X1080
- › TRIPOD ATTACHMENT

CODE	7936
MODEL	KONUSPY-15
TYPE	NIGHT VISION BINOCULAR
MAGNIFICATION	1X-5X DIGITAL ZOOM
OBJECTIVE Ø	24 MM
FIELD OF VIEW AT 1000M/YDS	10°
MAXIMUM DISTANCE OF OBSERVATION	300 M 984.2 FT
WEIGHT GR/OZ	334 GR 11.7 OZ
TRIPOD ADAPTABLE	YES

## SUPREMELY AFFORDABLE NIGHT VISION BINOCULAR

The especially complex technology of Night Vision optics has never been so accessible, especially in the case of a binocular version. This unit will replicate the visual performance of much more professional models at a fraction of their cost, while also putting at your disposal plenty of other exciting features. Its most remarkable asset is certainly the photo and video recording function, which is extremely useful for surveillance purposes.

# KONUSPY-12



#7933 5x-40x ZOOM

## FEATURES

- › 5X-40X MAGNIFICATION
- › PHOTO AND VIDEO RECORDING FUNCTION
- › DAYTIME AND NIGHTTIME USE
- › DAYTIME VISION IN COLOUR
- › PC CONNECTABLE
- › SD-CARD FOR STORING IMAGES
- › 5X OPTICAL ZOOM
- › 8X DIGITAL ZOOM
- › TRIPOD ATTACHMENT
- › CASE INCLUDED
- › WORKS WITH THREE AA BATTERIES
- › BUILT-IN ILLUMINATOR FOR TOTAL DARKNESS
- › WORKING DISTANCE: 200M - 220 YDS

CODE	7933
MODEL	KONUSPY-12
TYPE	NIGHT VISION MONOCULAR
MAGNIFICATION	5X - 40X ZOOM
OBJECTIVE Ø	32 MM
FIELD OF VIEW AT 1000M/YDS	88 M 288.7 FT
MAXIMUM DISTANCE OF OBSERVATION	200 M 218 YDS
WEIGHT GR/OZ	295 GR 10.4 OZ
TRIPOD ADAPTABLE	YES

## THE MOST POWERFUL NIGHT VISION MONOCULAR

This digital monocular will dramatically outperform any competing model in terms of power. Its zoom system is able to generate a tremendous 5x-40x magnification, which is unprecedented in the Night Vision industry. Other notable features include a built-in illuminator for total darkness and an internal SD card for taking pictures and recording videos.



# KONUSPY-14



#7935 1x-5x ZOOM

## FEATURES

- › NIGHT VISION MONOCULAR
- › 1X-5X ZOOM MAGNIFICATION POWER
- › BUILT-IN IR ILLUMINATOR WITH 7 BRIGHTNESS LEVELS
- › PHOTO AND VIDEO RECORDING FUNCTION
- › IMAGE RESOLUTION 1920X1080
- › SUPPLIED WITH USB CABLE AND 8GB SD CARD FOR IMAGE STORING PURPOSES
- › WORKS WITH 5 AA BATTERIES 1.5V (INCLUDED)

CODE	7935
MODEL	KONUSPY-14
TYPE	DIGITAL NIGHT VISION MONOCULAR
MAGNIFICATION	1X-5X
OBJECTIVE Ø	28 MM
FIELD OF VIEW AT 1000M/YDS	33.3 M 109.2 FT
MAXIMUM DISTANCE OF OBSERVATION	300 M 328 YDS
WEIGHT GR/OZ	186.5 GR 6.58 OZ
TRIPOD ADAPTABLE	YES

## POCKET-SIZED NIGHT VISION MONOCULAR

The dimensions (16x5x6,5cm - 6.2"x1.9"x2.5") and weight (186.5gr - 6.58oz) of this unit are nothing short of incredible, considering the array of features that are packed into such a compact size: daytime and nighttime vision, 1x-5x zoom system, IR illuminator for total darkness and photo/video recording function. All of this at a price that is simply unheard of.

# TRIPODS



#1960 3-POD-10



#1954 3-POD-4

## PROFESSIONAL PHOTOGRAPHIC TRIPODS

A sturdy and dependable tripod is an invaluable companion for every spotting scope and binoculars. Our photographic models come with enhanced resistance and carrying capability, heavy duty legs, quick release mounting system and level bubble.

## FEATURES

### #1960 3-POD 10

- › HEIGHT 2.29 FT - 5.97 FT (70 - 182 CM)
- › WEIGHT 3.74 LBS - 1.7 KG
- › 3 SECTIONS
- › WITH CARRYING CASE
- › TWO LEVEL BUBBLES
- › QUICK RELEASE PLATFORM
- › ANTI-SLIPPING SPIKED FEET

### #1954 3-POD 4

- › 3 SECTIONS
- › WITH CARRYING CASE
- › TWO LEVEL BUBBLES
- › QUICK RELEASE PLATFORM
- › 6 DIFFERENT BLOCKING POSITION FOR MAXIMUM STABILITY
- › HEIGHT 168 CM (5.5 FT)
- › WEIGHT 2.3 KG (5.07 LBS)
- › ANTI SLIPPING SPIKED FEET





#1956 3-POD-6



#1959 3-POD-9



#1958 3-POD-8

## FEATURES

### #1956 3-POD 6

- › 3 SECTIONS
- › WITH CARRYING CASE
- › WITH LEVEL BUBBLE
- › HEIGHT 165 CM (5.4 FT)
- › WEIGHT 1.5 KG (3.3 LBS)
- › TRIPOD HOOK FOR CARRYING CASE
- › 90° MOVEMENT
- › QUICK RELEASE PLATFORM

### #1959 3-POD 9

- › 3 SECTIONS
- › WITH CARRYING CASE
- › TWO LEVEL BUBBLES
- › 6 DIFFERENT BLOCKING POSITION FOR MAXIMUM STABILITY
- › QUICK RELEASE PLATFORM
- › HEIGHT 137 CM (4.49 FT)
- › WEIGHT 980 GR (34.5 OZ)
- › ANTI SLIPPING SPIKED FEET

### #1958 3-POD 8

- › TABLE TRIPOD
- › HEIGHT: 7.8" - 13.7" (20 - 35 CM)
- › WEIGHT 15.5 OZ - 440 GR
- › MICROMETRIC REGULATION
- › ADJUSTABLE HEIGHT

# BIPODS

---



**#1947 BIPOD**



**#1948 BIPOD**



**#1949 BIPOD-T**

## FEATURES

### #1947 BIPOD

- › HEIGHT 9"- 13" (22 - 33 CM)
- › WEIGHT 14.1 OZ - 400 GR
- › FOLDABLE LEGS
- › EXTENDABLE LEGS
- › RUBBERIZED FEET
- › BLACK MATTE FINISH
- › SUITABLE FOR WEAVER-PICATINNY RAIL

### #1948 BIPOD

- › HEIGHT 6" - 9" (15 - 22 CM)
- › WEIGHT 12.6 OZ - 360 GR
- › FOLDABLE LEGS
- › EXTENDABLE LEGS
- › RUBBERIZED FEET
- › BLACK MATTE FINISH
- › SUITABLE FOR WEAVER-PICATINNY RAIL

### #1949 BIPOD-T

- › HEIGHT 4.75" - 9" (1.065 - 22.86 CM)
- › WEIGHT 12.7 OZ - 360 GR
- › FOLDABLE LEGS
- › EXENTABLE LEGS
- › RUBBERIZED FEET
- › BLACK MATTE FINISH
- › SUITABLE FOR PICATINNY RAIL WITH ADJUSTABLE QUICK RELEASE MOUNT

# UNIVERSAL SMARTPHONE ADAPTER

---



#1303

## FEATURES

- › SUPREMELY VERSATILE
- › EASY TO USE
- › LIGHTWEIGHT
- › FITS ANY GIVEN SMARTPHONE MODEL

## UNIVERSAL SMARTPHONE ADAPTER

Enables you to connect your Smartphone to telescopes, microscopes, binoculars, spotting scopes and other optical instruments for taking pictures and recording videos.



#4074 KONUSTAR-10



#4075 KONUSTAR-11

## COMPASSES WITH MILITARY QUALITY AND ADVANCED TECHNOLOGY

A worldwide exclusivity of Konus, the # 4074-4075 professional compasses have a full metal body to go along with other military features like the clinometer, the level bubble, the tripod attachment and the 360° eyepiece.

## FEATURES

### #4074 KONUSTAR-10


- › GREY COLOUR
- › PROFESSIONAL COMPASS
- › FULL METAL BODY
- › LIQUID FILLED
- › CLINOMETER
- › LEVEL BUBBLE
- › 2 SCALES
- › TRIPOD ATTACHMENT
- › 360° EYEPIECE

### #4075 KONUSTAR-11

- › GREEN COLOUR
- › PROFESSIONAL COMPASS
- › FULL METAL BODY
- › LIQUID FILLED
- › CLINOMETER
- › LEVEL BUBBLE
- › 2 SCALES
- › TRIPOD ATTACHMENT
- › 360° EYEPIECE



# KONUSPOINT-6 - KONUS MULTI



**#4089 KONUSPOINT-6**



**#4151 KONUS MULTI**

## FEATURES

### #4089 KONUSPOINT-6

- › SET 6 PIECES
- › MARCH COMPASSES
- › EXCLUSIVE DESIGN
- › SUPPLIED WITH THEIR OWN DISPLAY BOX
- › INSTRUCTIONS IN 8 LANGUAGES

### #4151 KONUS MULTI

- › DIGITAL COMPASS
- › STEP COUNTER, CALORIE COUNTER
- › ALTIMETER
- › BAROMETER
- › THERMOMETER
- › WEATHER FORECAST
- › HOUR AND DATE
- › BACKLIGHT
- › KEYCHAIN

## COMPASSES FOR EVERY USE

Invented, created and developed by Konus, the #4089 compass is a worldwide exclusivity that only our company can offer you. Aside of its professional features, it also combines a stylish and ergonomic design with an extremely light weight. The # 4151 model is a true outdoor computer with digital compass, thermometer, altimeter, barometer, step counter, calorie counter, date, time, weather forecast and key chain.

# KONUSLIGHT RC-8



#3932

INCLUDES ALL  
THE ACCESSORIES  
FOR TACTICAL  
USE



## FEATURES

- › RECHARGEABLE FLASHLIGHT WITH 1000 LUMENS OUTPUT
- › WEAVER/PICATINNY RING
- › REMOTE PRESSURE LIGHT
- › METAL BODY
- › CASE INCLUDED
- › 3 SELECTABLE MODES WITH MEMORY FUNCTION: HIGH - LOW - STROBE
- › 18650 LITHIUM RECHARGEABLE BATTERY INCLUDED
- › TYPE-C CHARGER INCLUDED

## FLASHLIGHT WITH MOUNTING SYSTEM FOR WEAVER/ PICATINNY RAIL

This tactical flashlight with superior LED Cree technology can be either hand-held or mounted on the Weaver/ Picatinny rail of any given weapon by virtue of the enclosed mounting ring. A remote controller is also part of the package for supreme versatility. This device will generate an extremely powerful light beam and will provide you with a two different intensities and flashing mode for utmost versatility. Fully made in metal, it is also rechargeable.



LANTERN  
MODE



**#3930 KONUSLIGHT 2K**



**#3931 KONULIGHT RC-7**

## FEATURES

### #3930 KONUSLIGHT 2K

- › RECHARGEABLE FLASHLIGHT WITH 1000 LUMEN OUTPUT AND 2000 LUMENS TURBO MODE
- › RECHARGEABLE LANTERN WITH 500 LUMENS OUTPUT
- › WITH STRONG MAGNETIC BASE AND METAL CLIP
- › BUILT-IN 18650 LITHIUM BATTERY
- › 4 FLASHLIGHT MODES: 100% - 20% - STROBE - TURBO
- › 2 LANTERN MODE: 100% - 20%
- › USB CABLE INCLUDED

### #3931 KONUSLIGHT RC-7

- › RECHARGEABLE TACTICAL FLASHLIGHT
- › 1200 LUMEN OUTPUT WITH ZOOM FUNCTION
- › FULL METAL BODY
- › BUILT-IN 18650 LITHIUM BATTERY (RECHARGEABLE)
- › INTENSITY ADJUSTMENT OPERATED VIA DIMMER SWITCH
- › 4 MODES: HIGH - LOW - STROBE - SOS
- › USB CABLE INCLUDED

## HIGH LUMEN FLASHLIGHTS

These rechargeable models will provide you with all the power you need and then some. The # 3930 has a base output of 1000 lumens and an amazing 2000 lumen turbo mode, not to mention that it can also be used as a lantern. The # 3931 has a 1200 lumen output instead, while also featuring a zoom function with intensity adjustment.



**#3928 KONUSLIGHT RC-5**



**#3920 KONUSLIGHT 8**

## FEATURES

### #3928 KONUSLIGHT RC-5

- › RECHARGEABLE TORCH WITH USB CABLE INCLUDED
- › ULTRA BRIGHT LED
- › 800 LUMEN OUTPUT
- › CLIP AND MAGNETIC BASE
- › RECHARGEABLE LITHIUM BATTERY 3.7V
- › USB CHARGER INCLUDED
- › ZOOM FUNCTION
- › FULL METAL BODY
- › 5 MODES: 100% LIGHT - 50% LIGHT - 25% LIGHT - FLASHING - S.O.S.

### #3920 KONUSLIGHT 8

- › SET 6 PCS.
- › 120 LUMEN
- › 3 WATT
- › LENGTH CM 15.5/6.1"
- › ZOOM FUNCTION
- › ALUMINUM BODY
- › CREE XPE LED TECHNOLOGY
- › WORKS WITH 2 AA BATTERIES (INCLUDED)
- › 2 SELECTABLE INTENSITIES + FLASHING FUNCTION

## COMPACT AND PORTABLE FLASHLIGHTS

The # 3928 is a rechargeable model with an extremely compact and portable body (5'2" or 13 cm long) that is fully made of metal and packs an impressive 800 lumen output. It comes with a zoom function and 5 different modes (including S.O.S. and flashing). It also features a magnetic base for enhanced versatility.

The # 3920 is an affordable model with 120 lumen output that is especially notable for its sleek design and its zoom capability.





#3923 KONUSLIGHT 9



LANTERN  
MODE

#3915 KONUSLIGHT 6

## FLASHLIGHTS WITH LANTERN MODE

Two flashlights that can be changed into a lantern as an additional bonus. The # 3915 is lightweight and competitively priced, while the # 3923 is a more professional option that comes with an array of invaluable features, such as the 180° rotatable head, the magnetic base and the emergency light.

## FEATURES

### #3923 KONUSLIGHT 9

- › SET 6 PCS.
- › MAGNETIC BASE
- › LANTERN LIGHT WITH EMERGENCY
- › RED LIGHT FLASHING MODE
- › ZOOM FUNCTION
- › 180° ROTATABLE HEAD (POP-UP)
- › 3 X AAA BATTERY INCLUDED
- › CASE INCLUDED
- › 1 WATT/250 LUMENS OUTPUT

### #3915 KONUSLIGHT 6

- › SET 6 PCS.
- › CHANGEABLE INTO A LANTERN
- › FLASHING FUNCTION
- › 1 WATT POWER
- › 120 LUMENS
- › BATTERIES AND CASE INCLUDED
- › 2 MODES: TOTAL ILLUMINATION OR FLASHING

# KONUSFLASH



HAND-WAVING SENSOR MODE



#3924 KONUSFLASH 7



RED LIGHT



ADJUSTABLE ANGLE



#3927 KONUSFLASH 6

## FEATURES

### #3924 KONUSFLASH 7

- › RECHARGEABLE FLASHLIGHT WITH 236 LUMEN OUTPUT AND HEADBAND
- › XPG LED
- › SENSOR MODE: THE LIGHT CAN BE TURNED ON/OFF BY SIMPLY WAVING YOUR HAND IN FRONT OF IT
- › BUILT-IN 800MAH LITHIUM BATTERY
- › 4 FLASHLIGHT MODES: - HIGH - LOW - STROBE - RED STROBE
- › WATERPROOF
- › TIME FOR RECHARGING: 2 HOURS

## SUPREMELY VERSATILE HEADLIGHTS


Head torches are truly indispensable tools for serious outdoorsmen that are in need of hands-free illumination. The # 3924 is a rechargeable model with high power and is especially notable for its sensor mode, which enables you to turn the light on/off by simply waving your hand in front of it. The # 3926 is an affordable unit with reduced weight for maximum comfort.

### #3927 KONUSFLASH-6

- › USB RECHARGEABLE FLASHLIGHT WITH HEADBAND
- › 2 W POWER
- › 100 LUMEN MAXIMUM OUTPUT
- › BUILT-IN 3.78V LITHIUM BATTERY
- › 180° ADJUSTABLE ANGLE
- › INCLUDES USB CABLE
- › 4 MODES: HIGH 100 - LOW 50% - DOUBLE RED LIGHT - FLASHING RED LIGHT

# KONUSFLASH 5 - KONUSCAP

ADJUSTABLE  
ANGLE



**#3926 KONUSFLASH 5**



**#3911 KONUSCAP**

## MULTI-PURPOSE HEADLIGHTS

The # 3926 is an affordable model with reduced weight for maximum comfort.

The # 3911 is a truly revolutionary concept that combines super compact size and unparalleled ease of use.

## FEATURES

### #3926 KONUSFLASH 5

- › 1W POWER
- › 60 LUMEN MAXIMUM OUTPUT
- › COMFORTABLE HEADBAND
- › WORKS WITH 1 AA BATTERY (INCLUDED)
- › 45° ADJUSTABLE ANGLE
- › 4 MODES: HIGH 100% - LOW 50% - RED LIGHT - RED FLASHING LIGHT


### #3911 KONUSCAP

- › SET 6 PCS
- › 3 ULTRA BRIGHT LEDS
- › BATTERY LIFE: 50 HOURS
- › WEIGHT (INCLUDING BATTERY) 15G/0.53 OZ
- › 0.5W POWER
- › 18 LUMENS
- › WORKS WITH 2 2032 LITHIUM COIN CELL BATTERIES (INCLUDED)

# KAEWA DRYBAGS & BACKPACKS



#0016 KAEWA-60



#0021 KAEWA-20

## LARGE DRYBAGS WITH AIR VALVE & WATERPROOF

Nothing can ruin a trip faster than a waterlogged phone or a sand-filled computer. Whether you're enjoying a day on the water, camping with friends, or out on a hunt, valuables can easily be damaged. The Kaewa drybags and backpacks are designed to protect all your gear from the elements. Manufactured from 600-denier TPU, this unique fabric is rugged and durable.

## FEATURES

### #0016 KAEWA-60

- › AIR RELEASE VALVE
- › ADJUSTABLE SHOULDER STRAP
- › CARRY-HANDLE
- › SOFT, SUPPLE EXTERIOR, EASY TO FOLD
- › TPU LAMINATED POLYESTER
- › HIGH SHEAR & ABRASION RESISTANT
- › UV RESISTANT
- › OIL, GREASE AND CHEMICAL RESISTANT
- › MOISTURE & WATERPROOF (SUBMERSIBLE)
- › CAPACITY: 3,660 CUBIC INCHES (60 LITERS)
- › DIMENSIONS: 32"x11.5"x11.5" (80X30X30 CM)
- › WEIGHT: 17.5OZ - 496GR.

### #0021 KAEWA-20

- › AIR RELEASE VALVE
- › ADJUSTABLE SHOULDER STRAP
- › CARRY-HANDLE
- › SOFT, SUPPLE EXTERIOR, EASY TO FOLD
- › TPU LAMINATED POLYESTER
- › HIGH SHEAR & ABRASION RESISTANT
- › UV RESISTANT
- › OIL, GREASE AND CHEMICAL RESISTANT
- › MOISTURE & WATERPROOF (SUBMERSIBLE)
- › CAPACITY: 3,660 CUBIC INCHES (60 LITERS)
- › DIMENSIONS: 32"x11.5"x11.5" (80X30X30 CM)
- › WEIGHT: 17.5OZ - 496GR.



# KONUS BATTERIES



## #3853 LR6 ALKALINE AA

BLISTER OF 4 BATTERIES



## #3849 NICKEL AA RECHARGEABLE

SET 4 RECHARGEABLE BATTERIES AA TYPE 1300 MAH WITH BATTERY CHARGER (ALSO SUITABLE FOR AAA RECHARGEABLE BATTERIES) AND MICRO USB CABLE.



## #3848 CR1620 LITHIUM CELL

SET 10 BLISTER OF 1 BATTERY



## #3846 AA 2600 mAh RECHARGEABLE

RECHARGEABLE BLISTER OF 2 BATTERIES



## #3854 LR03 ALKALINE AAA

BLISTER OF 4 BATTERIES



## #3851 CR2 CR17355 LITHIUM 3V

BLISTER OF 1 BATTERY



## #3850 CR123A CR17345 LITHIUM 3V

BLISTER OF 1 BATTERY



## #3847 AAA 950 mAh RECHARGEABLE

RECHARGEABLE BLISTER OF 4 BATTERIES



## #3852 LR44 V13GA KA76 ALKALINE 1.5V

BLISTER OF 4 BATTERIES



## #3859 CR2025 LITHIUM 3V

MULTIBLISTER OF 5 BATTERIES



## #3860 CR2032 LITHIUM 3V

MULTIBLISTER OF 5 BATTERIES

## A COMPREHENSIVE RANGE FOR EVERY NECESSITY

As an additional service to our customers, Konus is now offering a wide assortment of batteries that are at the same time long lasting and environmentally friendly. The models in our range will fit any camera, flashlight, MP3 reader, remote control, electronic equipment and so forth.

# PROMOTIONAL MATERIAL



**#2960**  
F-30 RIFLESCOPES DISPLAY  
ENGLISH VERSION



**#2898**  
EL-30 RIFLESCOPES  
DISPLAY



**#2969**  
KONUSPRO RIFLESCOPES  
DISPLAY



**#2966**  
PVC DISPLAY  
FOR RIFLESCOPES

**#2959**  
F-30 RIFLESCOPES  
DISPLAY ITALIAN VERSION



KONUS STICKER  
1000X230MM • 39.3"X9.05"



**#2961**  
BINOCULARS DISPLAY

## MERCHANDISING FOR THE POINT OF SALE

Knowing that the presentation of an article is pivotal to maximize its potential and its selling chances, Konus has developed some unique and eye-catching displays, banners and counters for our main lines of products. Some of these merchandising materials are also intended as an informative tool, bearing a lot of technical data that are therefore made readily available for customers. All of these materials are offered for free as a part of special promotions, provided that some minimum purchase requirements are met: check your local Customer Service for more information.

# BINOCULARS & SPOTTING SCOPES

## TECHNICAL FEATURES

### MAGNIFICATION:

This is the number of times that an object is being enlarged while looking at it through a binocular/spotting scope. For example, an object that is 100 yards away will appear like it is 5 yards away if it is observed with a 20x instrument .  
( $100 : 20 = 5$ ).



### OBJECTIVE LENS DIAMETER:

This diameter affects the light gathering capability of the instrument. The larger the diameter, the better the luminosity and the brightness of the image.

### EXIT PUPIL:

this is the size of the circle of light that is visible at the eyepiece of a binocular/spotting scope. The larger the exit pupil, the brighter the image especially in low light conditions such as at dusk or dawn. It is calculated by dividing the diameter of the objective lens by the power of the instrument: for example it will be 5mm in a 8x40 binocular ( $40 : 8 = 5$ ).

### FIELD OF VIEW:

this is the side-to-side measurement of the observed area. It is defined by the width in feet or meters of the area that is visible at 1000 yards/meters. The higher the magnification power, the narrower the field of view, unless the binocular/spotting scope features a "wide angle" construction that helps maximize the observed area.



### EYE RELIEF:

this is the distance a binocular/spotting scope can be held away from the eye and still maintain the full field of view. Long eye relief optics reduce eyestrain and are much more comfortable, especially for eyeglass wearers

### TYPE OF PRISMS:

optical prisms are made from either barium-crown glass (BAK-4) or borosilicate glass (BK-7). The BAK-4 prisms are of better quality and therefore provide brighter images and higher sharpness.

### DIOPTER ADJUSTMENT:

some binoculars come with a ring for fine-focus regulation that is usually provided around one eyepiece. This ring allows to compensate for vision differences between the right and left eye of the observer.

### WATERPROOF:

the most professional binoculars and spotting scopes also offer the additional advantage of being waterproof, due to their special construction featuring a sealed and nitrogen purged body. These models can withstand complete immersion in water and can be exposed to the most hazardous weather conditions such as rain, fog and snow.

### TYPE OF COATING

the surfaces of the lenses and prisms are coated to improve the light transmission and reduce glare, thus obtaining a brighter image with higher contrast and less eyestrain. There are 4 types of coating:

- Coated: a single layer on at least one lens surface
- Fully coated: a single layer on all air-to-glass lens surfaces
- Multi-coated: multiple layers on at least one lens surface
- Fully multi-coated: multiple layer on all air-to-glass lens surfaces

### PHASE COATING:

This advanced coating technique will force the light beams back into phase, thus improving the image definition and contrast and creating a sharper view, especially noticeable when observing fine details.

### SILVER MIRROR COATING:

This incomparable technique will treat the internal prisms of the instrument to a special and highly reflective type of coating, by applying very thin layers of the finest silver material. The results in terms of resolution, brilliance and optical performance will be simply unparalleled, with a light transmission as high as 98%.



6X

25x

## ■ POWER (MAGNIFICATION):

The first number of a riflescope (ie: 4X32) is the power or magnification. For example, the 4X indicates that the target being viewed will be four times closer versus viewing it with the naked eye. a) Typically, high powered scopes are used for motionless target or silhouette shooting; ideally, with a bench rest or some other support.

b) Lower to medium powered scopes (ie: 1.5X - 10X) offer a brighter image and a wider field of view. These scopes are ideal for areas of dense foliage. They are also the best choice when shooting at close to medium range, or at moving targets.

## ■ FIELD OF VIEW:

The width or distance across that can be seen through a riflescope. This view is expressed as feet (or meters) at a distance of 100 yards (or meters). Typically, increasing your magnification will decrease your field of view.

## ■ CLICK VALUE:

Often referred to as windage and elevation adjustments, this feature allows the scopes aiming point to be perfectly adjusted at designated increments. For example a .25" (0.63cm) click value will change the point of impact by 1/4" at 100 yards either up or down, left or right (depending on the knob you adjust).

## ■ EYE RELIEF:

The distance a riflescope can be held away from the eye while obtaining a full field of view. Long eye relief provides the shooter with a comfortable and safe distance from recoil, and allows eyeglasses wearers to get the full use of their scope.



## SIDE PARALLAX WHEEL:

Parallax is a condition that occurs when the image being observed through a riflescope is not focused precisely on the reticle plane.

Parallax is noticeable as an apparent movement between the reticle and the target when the shooter moves his head as an out of focus image.

Usually standard riflescopes are set to be parallax-free at 100 yards, but many of our models come with a special wheel that enables you to have an automatic correction of the parallax for every distance from 10 yards to infinity.

This wheel is positioned on the left side of the scope and its dimensions have been increased to facilitate the reading of the various distances and use while wearing gloves.



## TACTICAL TURRETS WITH PUSH/PULL LOCKING SYSTEM:

The windage and elevation turrets of some of our models feature an innovative instant-locking system that is named "Konus Impact System". It provides a double advantage for the user: not only can they operate the turrets much faster than the ones on standard riflescopes, but they can also lock them in position thus making sure that the adjustments will not be altered even if the scope has to endure extreme abuse while in the field.



## ANTI-CANTING LEVEL BUBBLE :

Being especially suited for long distance shooting, some of our riflescopes come with an anti-canting system that has been developed to deliver utmost precision while executing even the most prohibitive shots. Inside the eyepiece there is a level bubble level that is filled with fluorescent liquid in order to be perfectly visible in every lighting condition. The position of the bubble will not obstruct the field of vision and will give the shooter the chance to instantly know whether they are aiming at the target in the most effective and most balanced way. This is a gigantic innovation in the industry, a true revolution that Konus is proud to offer its customers as a worldwide exclusivity.



## FAST FOCUS EYEBELL:

This feature enables the riflescope to be instantly adjusted to suit each individual shooter's eye condition, thus ensuring the highest degree of accuracy while aiming at a target.



## SEALED/WATERPROOF CONSTRUCTION:

Our riflescopes are built to withstand even the most hazardous weather conditions while always delivering an impeccable performance. Their rugged construction is 100% waterproof and they are both nitrogen purged and O-ring sealed to prevent any infiltration of rain, snow, fog, dust or moisture.



## ONE PIECE TRUE 30MM TUBE DIAMETER:

The market is full of riflescopes whose outer tube diameter looks like 30mm while internally they are only 25mm. All of our 30mm models, on the contrary, feature an authentic 30mm diameter which translates into a far superior light gathering capability and therefore an unparalleled visual quality.



## FLIP-UP COVERS FOR EYEPIECE AND OBJECTIVE:

All of our riflescopes are equipped with strong black plastic covers to protect their eyepiece and objective. Some of these covers are of the Flip-Up type and thus they can be instantly opened and closed with nothing more than the user's fingertips.



## SUNSHADE:

Many of our riflescopes include a threaded sunshade that can be screwed onto the objective to help reduce glare and enhance contrast while shooting in bright conditions, as well as reduce the effect of rising heat known as "mirage".



## ENGRAVED RETICLE:

All of our riflescopes (except the #7235, #7350 and #7351) have a reticle that is etched onto precision glass, instead of using a metal wire. These reticles are therefore guaranteed to withstand even the heaviest recoil on the most powerful guns, while also being especially thin.



1/10

## 1/10 MIL TURRETS:

The 1/10 Mil turrets are an ideal choice when coupled with a Mil-Dot reticle, since they will enable you to achieve the maximum precision in the shortest possible time. When you take a shot, in fact, you can easily estimate where, in Mil relation, the bullet impacted relative to the point of aim with the reticle and you can then make the necessary adjustments easily and instantly. For example, let's say that your bullet landed 2 Mils left and 1 Mil low: all you have to do is to adjust your scope 20 clicks right (20 clicks = 2 Mils) and 10 clicks up (10 clicks = 1 Mil) and then you will be ready for your second shot. Had your scope been equipped with MOA adjustments instead, you would have had to do a conversion between Mils and MOA which is not always easy or practical. This explains why the 1/10 Mil turrets have become an invaluable asset in the tactical field, where quick reactions are of the essence and there is no room for errors.



## RETICLE ON THE FIRST FOCAL PLANE (EUROPEAN CONSTRUCTION SYSTEM):

Our F30 riflescopes are built according to the European system and their reticle is therefore positioned on the first focal plane. The main advantage of this configuration is that the reticle will change in size when zooming in and out, thus enabling you to use a tactical reticle (like the Mil-Dot) for rangefinding purposes at any given magnification.





## RETICLE ON THE SECOND FOCAL PLANE (AMERICAN CONSTRUCTION SYSTEM):

While the European construction system places the reticle on the first focal plane, all of our riflescopes (except the F30 models) are built according to the American system and thus their reticle is placed on the second focal plane. This is important while shooting at very small targets or at very distant ones.



## FULLY MULTI-COATED OPTICS:

Every lens and prism throughout the body of the M30 and F30 riflescopes feature 10 layers of coating on all air-to-glass surfaces in order to ensure the maximum light transmission (over 95%).



## RETICLE ON THE FIRST FOCAL PLANE:

The above picture shows the difference, in terms of construction, between a first focal plane riflescope and a second focal plane riflescope. Such a difference is easily identified by using the zoom ring. When you zoom to a high magnification, the reticle of a first focal plane model gets bigger. When you zoom out (lower magnification), the reticle gets smaller. With a second plane scope, on the contrary, the reticle size never changes while zooming in or out. The reticle changing size plays a significant role in using a tactical reticle, such as the Mil-Dot: in a first focal plane scope, the target-to-reticle ratio is maintained throughout all the magnifications without any shift of the point of impact. You can therefore utilize your reticle for rangefinding purposes at any magnification.

With a second plane scope, on the contrary, the calculation of the distance will be possible at a set magnification only (usually 10x or 12x). The most demanding long range shooters, such as the military snipers, will therefore prefer a first focal plane riflescope in order to take advantage of its improved accuracy.


# RETICLE ASSORTMENT



## 30/30 RETICLE:

Four thick posts at opposite sides from one another, connected by a fine crosshair that intersects at the center. A key feature of the 30/30 reticle is its ability to measure distance.

The thick posts (end to end) equal 30"(75cm) across at 4X @ 100 yards (91m). (FYI: 30" is the approximate distance of an average sized adult deer from his chest to his rump).



If the same 30" target stretches the distance of the reticle, then it would be 200 yards (182m) away, etc.




## AIM-PRO RETICLE:

Exclusive Konus reticle used in conjunction with our #7249 riflescope to provide an exact aiming point through the center diamond. This dual aim point also helps establish distance, as a turkey's head will fill the diamond at 40 yards (36.5m), while an adult deer's target area fills the view at 75 yards (68.5m).




## ILLUMINATED RETICLES:

Crosshairs with the ability to light or glow a red color. This is an excellent choice for low light conditions or for shooting against very dark targets. The intensity of the illumination can be adjusted up or down for any lighting conditions.



## CIRCLE DOT RETICLE:

This reticle is an ideal choice while shooting at close or medium distance. The illuminated circle will enable an easier acquisition of fast moving targets, while the illuminated dot will provide a significant advantage when you need to take a shot with utmost accuracy.




	M.O.A*	MIL
A	34.38	10
B	17.19	5
C	3.44	1
D	63.03	18.3
E	0.69	0.2
F	63.03	18.3

\* Minute of angle


## MIL-DOT RETICLE:

This special tactical reticle was originally developed by the U.S. Marine Corps so that their snipers could accurately measure the distance from the target and could also compensate for strong crosswinds. In our riflescopes, these reticles are also etched onto precision glass, which means that they will never break, spin or dislodge even if they are used on powerful guns with heavy recoil.




## 275 BALLISTIC RETICLE

This reticle is featuring several aiming points that are calibrated from 75 to 275 yards and coincide with the most popular black powder loads. Lateral hash marks have also been added to compensate for wind. This reticle consequentially provides an undeniable advantage in terms of improved accuracy and better performance



### 550 BALLISTIC RETICLE


This reticle will give you the ability to shoot with utmost precision out to 550 yards, thus effectively taking your game to the next level and dramatically improving your accuracy. It works with a system of aiming points that correspond to different distances and are based on the most popular centerfire and black powder loads. Furthermore, you are also provided with lateral hash marks that allow for compensation in case of strong crosswinds. This reticle is therefore ideal for performance-driven long distance shooters that want to be supremely confident while attempting even the most prohibitive shot.



ALL MEASUREMENTS  
ARE IN MIL


### MODIFIED HALF MIL-DOT RETICLE:

Some reticles, originally developed for tactical purposes, enable you to accurately measure your distance from the target if you know the dimensions of what you are aiming at. When a reticle is placed on the second focal plane, the calculation of the distance is possible at a set magnification only (usually 10x or 12x). When a reticle is placed on the first focal plane, on the contrary, the target-to-reticle ratio never changes and you can therefore utilize your riflescope at any magnification while determining your distance from the target. The most popular choice among tactical reticles is the Mil-Dot. Some of our riflescopes, like the Konuspro F-30 series, feature a modified version of the Mil-Dot for enhanced accuracy and precision: the space between hash marks is not 1 Mil (as in the standard Mil-Dot configuration), but 1/2 Mil. Furthermore, the illuminated "quick-peep" center crosshair removes any chance of obstructing your vision even if you are aiming at very small targets or shooting long range.



### FINE CROSSHAIR RETICLE

This reticle has a supremely thin crosshair and a center dot of reduced size. It is therefore very useful while shooting at very long range, since it will not end up covering the target and obstructing its acquisition.



### GERMAN-4 RETICLE

This reticle is nearly identical to a 30/30 reticle but it does not have an emboldened top post. The crosshair is the same width from the center all the way to the top of the sight picture. The German-4 reticle has always been among the most popular ones for hunting purposes.